

32

Dir (TCP)

(AUTHORITATIVE ENGLISH TEXT OF THIS DEPARTMENT NOTIFICATION NO:TCP-F(5)-10/2001 DATED. 22-8-2002 AS REQUIRED UNDER CLAUSE(3) OF ARTICLE 348 OF THE CONSTITUTION OF INDIA).

GOVERNMENT OF HIMACHAL PRADESH
TOWN & COUNTRY PLANNING DEPARTMENT

No. TCP-F(5)-10/2001

Dated, Shimla-2, 22/8/2002

NOTIFICATION

In exercise of the powers conferred upon him under sub-sections (4) and (5) of section 17 of the Himachal Pradesh Town and Country Planning Act, 1977 (Act No. 12 of 1977), the Governor of Himachal Pradesh is pleased to make the following further amendments in the Interim Development Plan for Shimla Planning area notified vide notification No. 9-12/72/PW dated 24-3-79 and published in the the Himachal Pradesh Rajpatra Extra-Ordinary dated 31-3-1979, namely:-

FR
Direct
S.P.
R.O. III
26/8

AMENDMENT IN CHAPTER-X

1. In Chapter X of the Interim Development Plan for Shimla Planning Area:-

(a) for regulation 10.4.1.2(x)(a), the following shall be substituted, namely:-

"10.4.1.2.(x)(a) CORE AREA:- (i) New construction in core area shall be allowed in respect of residential buildings upto maximum two storeys and ancillary uses thereto with the prior permission of the State Government.

Provided that in case of re-construction of old structure or building shall be permitted by the State

(3)

..2..

Government subject to the condition that the plinth area and number of storeys on old lines shall remain the same as were existing earlier.

(ii) The core area shall comprise of the following, namely:-

(a) Central Shimla bounded by the circular Cart Road starting from Victory Tunnel and ending at Victory Tunnel via Chhota Shimla and Sanjauli and the area bounded by Mall Road starting from Railway Board Building to Ambedkar Chowk, covering Museum Hill by road starting from Ambedkar Chowk, on the north side, joining the Chowk of Indian Institute of Advanced Studies and following the road joining Summer Hill post office and via upper road to Boileauganj Chowk and then joining the Cart Road, along Cart Road to Victory Tunnel.

(b) From junction of Tribunal road and cart road near Secretariat then along the Tribunal road/path joining Boundary/Dhobi Ghat path and then following Dhobi-Ghat boundary path upto the Shimla Junga road near Boundary. Then following Chhota Shimla Himalvi Bhawan path upto house of Sh. Amin Chauhan, then along with house of Sh. Amin Chauhan, Sh. Mansa Ram, Block No.-4,6,8,9,7,5,2 (all the blocks of H.P. Housing Board) and house of Sh. Ramesh Negi, Sh. Diwan Chand Gupta, Sh. N. S. Pal, Sh. Indervir Singh Pal, Sh. Ashwani Kumar, Sh. Y. K. Gautam and then along the

Am

34

path joining to the Chhota Shimla-Kasumpti path near AIRA HOLME'S Public School. Following Chhota Shimla Kasumpti path towards Kasumpti upto junction of Shimla-Junga road and SDA Complex road. Then following Shimla Junga road towards Chhota Shimla upto cart road near Ashiana Restaurant. Then following cart road upto junction of Tribunal road and Cart road near Himachal Pradesh Secretariat building."

(iii) The following norms shall be applicable in the CORE

AREA:-

1. Development Permission	By the Government of Himachal Pradesh.
2. Land use	Residential and ancillary uses thereto.
3. Minimum plot size.	250 square meters.
4. Maximum number of storeys	2 (two).
5. Provision for parking	Within the permitted two storeys.
6. Maximum Floor Area Ratio.	1.00
7. Maximum building height	9.50 meters (including 2.50 meters maximum height of slopping roof)
8. Maximum width of path/road	
i) For sub-division of land having plots more than five numbers.	(i) 5.00 meters
ii) Otherwise (including pedestrian walkways).	(ii) 3.00 meters
9. Reconstruction	Permissible subject to the condition that plinth area and number of storeys on old lines shall remain the same as were existing earlier.
10. Change of land use	Not Permissible.
11. Sub-division of land	Permissible.

hms

4/-

(3)

Note:- Planning permission in CORE AREA shall be granted keeping in view the provisions as contained in Annexure-III appended to these regulations.

(b) for regulation 10.4.1.2(x)(b), the following shall be substituted, namely:-

"10.4.1.2:(x)(b) RESTRICTED AREA- (i) The restricted area shall comprise of the following, namely:-
Area outside the core area defined vide para 10.4.1.2(x)(a) above and bounded by bye-pass road starting from barrier to Tutikandi-Khalini-Vikas Nagar, Pantha Ghati, Malyana, Bhattakufar to Dhalli Tunnel. The restricted area shall also include a belt of 50 meter on valley side of National Highway-22 starting from Barrier to Dhalli Tunnel. Sanjauli area starting from Dhalli Tunnel to old house of Smt. Shanti Devi along Tibetan Hospital (excluding Tibetan Hospital) to Dhingu Temple via Municipal Corporation path to electricity transformer all along defence boundary and then following the Halla cremation ground. From cremation ground to Sanjauli along existing Forest and Government land boundary and 50 meter on valley side of the cart road from Sanjauli chowk to Victory Tunnel, Long Wood-Shankli, Ruldubhatta area bounded by upper Bharari road on East upto Harvington to [unclear] along sewerage line path on West to Cart road from above point to Tara Hall School to Tapovan to lower Kaithu along road on East to cart road along External Municipal road on North and West meeting cart road near Hotel Hans.

(34)

path joining to the Chhota Shimla-Kasumpti path near AIRA HOLME'S Public School. Following Chhota Shimla Kasumpti path towards Kasumpti upto junction of Shimla-Junga road and SDA Complex road. Then following Shimla Junga road towards Chhota Shimla upto cart road near Asqiana Restaurant. Then following cart road upto junction of Tribunal road and Cart road near Himachal Pradesh Secretariat building."

(iii) The following norms shall be applicable in the CORE

AREA:-

- | | |
|--|--|
| 1. Development Permission | By the Government of Himachal Pradesh. |
| 2. Land use | Residential and ancillary uses thereto. |
| 3. Minimum plot size. | 250 square meters. |
| 4. Maximum number of storeys | 2 (two). |
| 5. Provision for parking | Within the permitted two storeys. |
| 6. Maximum Floor Area Ratio. | 1.00 |
| 7. Maximum building height | 9.50 meters (including 2.50 meters maximum height of slopping roof) |
| 8. Maximum width of path/road | |
| i) For sub-division of land having plots more than five numbers. | (i) 5.00 meters |
| ii) Otherwise (including pedestrian walkways). | (ii) 3.00 meters |
| 9. Reconstruction | Permissible subject to the condition that plinth area and number of storeys on old lines shall remain the same as were existing earlier. |
| 10. Change of land use | Not Permissible. |
| 11. Sub-division of land | Permissible. |

h

4/-

36

(ii) The following norms shall be applicable in the restricted area, namely:-

1. Development Permission

f) The Director, Town and Country Planning in cases where no relaxation is required.

(ii) The Government of Himachal Pradesh where relaxation is required:

All land uses that is Residential, Commercial, Public and Semi Public uses etc.

150 square meters.

1000 square meters.

250 square meters.

2. Land use.

3. Minimum plot size.

(a) Residential

(b) Hotel

(c) Other land uses.

4. Maximum number of storeys

(a) Residential

(b) Hotel and public/semi public purposes.

3 + Parking floor wherever feasible.

4 + Mandatory parking floor. Short fall in parking floor, if any, shall be met out in open space over and above the set backs.

5. Maximum Floor Area Ratio:

(a) Residential

(b) Hotel

(c) Public/ semi-public purposes

1.50

1.75 subject to maximum plot coverage of 40%. Minimum 10.00 meter front set back and 5.00 meter set back on other sides.

2.00 subject to minimum 7.50 meters front set back and 2.50 meters set back on other sides.

6. Maximum building height

(a) Residential

(i) Without parking floor

13.00 meters (Including 2.00 meters maximum height of slopping roof).

(ii) With parking floor

15.30 meters (including 2.50 meters maximum height of slopping roof, and 2.30 meter height of feasible parking floor).

(b) Hotel and public/semi-public purposes

16.80 meters (including 2.50 meters maximum height of slopping roof and 2.30 meters height of mandatory parking floor).

7. Maximum width of path/road

(a) Residential

(i) For sub-division of land having plots more than five in number.

5.00 meters.

(ii) For sub-division of land having plots less than six in number (including pedestrian walkways).

3.00 meters.

(b) Hotel and public/semi-public purposes.

5.00 meters.

8. Reconstruction

(i) Permissible subject to the condition that plinth area and number of storeys, on old lines shall remain the same as were existing earlier.

[Handwritten signature]

..7..

(ii) Any addition if required shall be allowed to the extent of 20% of existing built up area of ground floor subject to fulfilment of other norms of these regulations.
Permissible.
Permissible.

- 9. Change of land use
- 10. Sub-division of land

NOTE:

(1) Planning Permission in restricted area shall be granted by the Director of Town and Country Planning Department, Himachal Pradesh in normal Planning permission cases where no relaxation is required subject to the condition that he shall be assisted by a Committee consisting of representatives of the following:-

- (i) Director, Urban Development, Himachal Pradesh.
- (ii) Commissioner, Municipal Corporation, Shimla or his representative.
- (iii) Secretary, Nagar Panchayat concerned.
- (iv) State Town Planner or Town Planner.

(2) Planning permission in Restricted Area shall be granted keeping in view the provisions as contained in Annexure-III.

(c) for regulation 10.4.1.2(x)(d), the following shall be substituted, namely:-

"10.4.1.2(x)(d): CHANGE OF LAND USE: No change in the land use in the Core Area shall be permitted. The change of land use in restricted area shall be permitted by the competent authority.

(d) After regulation 10.4.1.2(x)(d), the following new regulation shall be added, namely:-

"10.4.1.2.(x)(a) OTHER AREAS- (i) The areas, other than the Core and Restricted areas, shall be governed by the following norms, namely:-

- 1. Development permission-
 - (a) Planning permission within Municipal Corporation limit. The Commissioner, Municipal Corporation.
 - (b) Within Municipal Council or Nagar Panchayat Area. The Executive Officer of the Municipal Council or Secretary, Nagar Panchayat concerned.
 - (c) Within the Special Area Development Authority. The Chairman, Special Area Development Authority concerned.
 - (d) Beyond Municipal Corporation/ Nagar Panchayat/ Special Area Development Authority area. The Director, Town and Country Planning Department, Himachal Pradesh.
- 2. Land use. All uses that is residential, commercial, public and semi-public purposes etc.
- 3. Minimum plot size
 - (a) Residential 150 square meters.
 - (b) Hotel 1000 square meters.
 - (c) Other land uses. 250 square meters.
- 4. Maximum number of storeys
 - (a) Residential 4 + Parking floor wherever feasible.
 - (b) Hotel and public/semi-public purposes. 4 + Parking floor mandatory. Short fall in parking floor, if any, shall be met out in open space over and above the set backs.

40

..9..

5. Maximum Floor Area Ratio.

- (a) Residential and commercial 1.75.
- (b) Hotel 1.75 subject to maximum plot coverage of 40%. Minimum 10.00 meters front set backs and minimum 5.00 meters set back on other sides.
- (c) Public and semi public purposes 2.00 subject to minimum 7.50 meters front set back and minimum 2.50 meters set back on other sides.

6. Maximum building height

- (a) Residential
 - (i) Without parking floor 16.50 meters (Including 2.50 meters maximum height of slopping roof).
 - (ii) With parking floor 16.80 meters (including 2.50 meters maximum height of slopping roof and 2.30 meters height of feasible parking floor).
- (b) Hotel and public/semi-public purposes. 18.80 meters (including 2.50 meters maximum height of slopping roof and 2.30 meter height of mandatory parking floor).

7. Maximum width of path/road

- (a) Residential
 - (i) for sub division of land having plots more than five in number. 5.00 meters.
 - (ii) Otherwise for sub-division of land having plots less than six in number (including pedestrian walkways). 3.00 meters.
 - (iii) Hotel and public/semi-public purposes. 5.00 meters.

11

(4)

..10..

9. Reconstruction

(i) Permissible subject to the condition that plinth area and number of storeys on old lines shall remain the same as were existing earlier.

(ii) Any addition if required shall be allowed to the extent of 20% of existing built up area of ground floor subject fulfilment of other norms of these regulations. Permissible.

Permissible.

- 10. Change of land use
- 11. Sub division of land

NOTE: Planning Permission in other area shall be granted keeping in view the general provisions contained in at Annexure-III.

(e) for the existing regulation 10.6, the following shall be substituted, namely:-

10.6 High sinking prone areas or Sliding areas: Single storeyed construction in light weight materials (excluding RCC and stone masonry) in high sinking prone areas or sliding areas shall be permissible subject to fulfilment of other regulations of the area in which such area falls.

Handwritten signature

..11/-

(f) for regulation 10.7, the following shall be substituted, namely:-

10.7 HERITAGE ZONE:

(A) No development for reconstruction unless specifically recommended by the Heritage Advisory Committee and permitted by the State Government shall take place in the Heritage Zone, which shall be comprised of the following areas, namely:-

- (i) Viceroyal lodge complex complete.
- (ii) One building depth on either side of the road surrounding Viceroyal lodge complex.
- (iii) One building depth on either side of the Mall road starting from the gate of Indian Institute of Advance Studies upto Chhota Shimla chowk via State Bank of India, Scandal Point, Shimla Club and Oak Over.
- (iv) One building depth on either side of the path/road starting from Prakash Niwas (Housing Shimla Typewriter) near State Bank of India via Kalibari to the Scandal Point.
- (v) The area Bounded by Scandal Point, Ridge, Regal, Takka Bench, Church, Ritz, U.S. Club Gate, Public Works Department Offices, Chalet Day School and the Mall Road.
- (vi) One building depth on either side of the road from Oak Over to Barnes Court (Governors residence) via Woodvilla, and
- (vii) Any building/buildings falling outside the above zone but declared as heritage building/buildings by the State Government.

(B) The Heritage Advisory Committee shall consist of the following members, namely:-

(a) Official Members.

- (i) Secretary(TCP) to the Government of Himachal Pradesh. Chairman
- (ii) The Director, Language, Art and Culture Department, Himachal Pradesh, Shimla. Member
- (iii) Commissioner, Municipal Corporation, Shimla-171001. Member
- (iv) Architect, Himachal Pradesh Tourism Corporation, Shimla. Member.
- (v) State Town Planner. Member Secretary.

(b) Non official members.

- (i) One eminent Architect from INTACH, Delhi (to be nominated by the Government). Member.
- (ii) One Environmentalist (to be nominated by the Government). Member.
- (iii) One Historian (to be nominated by the Government). Member.

(c) The State Town Planner/ Town Planner shall be the ex-officio Member Secretary of the Heritage Advisory Committee.

(C) The Heritage Advisory Committee shall discharge the following functions, namely:-

- (i) It shall examine and make recommendations on the proposals/cases following within Heritage Zone and submit its report on each proposal to the Director, Town and Country Planning Department. The Director shall submit the case to the State Government for consideration.

44

..13..

(ii) It shall prepare or cause to be prepared a list and documentation of buildings, artefacts, structure, areas and precincts of historic, aesthetic, architectural or cultural significance.

(iii) It shall prepare or cause to be prepared special designs and guidelines for the listed buildings. The guidelines shall include height and facade control, suitable design adopting new materials for new materials for replacements keeping the old form intact and so on.

(D) The non official members of the Heritage Advisory Committee shall be paid such allowances as may be notified by the Government from time to time.

Note: The planning permission in the area comprising the heritage zone shall be granted keeping in view the provisions as contained in Annexure-III.

(g) The regulation 10.4.1.2(xix) and 10.4.1.4(a)f shall be deleted.

(h) After regulation 10.7 so substituted, the following Annexures III, IV and V shall be added, namely:-

ANNEXURE-III

GENERAL REGULATIONS

The following provisions shall be applicable in all areas where no specific mention is made, namely:-

1. Demarcation from revenue authority shall be mandatory.
2. Maximum acceptable slope for development 45 degrees.
3. Maximum height of plinth level 4.00 meters.

Handwritten signature

4. Height of parking floor shall be 2.30 meters parking floor and it shall be over and above the permissible Floor Area Ratio limit.
5. In case space as per requirement for parking is available in open over and above the set backs, condition of parking floor shall not be insisted.
6. Minimum and maximum height of floor shall be 2.70 and 3.50 meters respectively (for all uses). 25% variations in floor heights if required for specific functional requirement of an activity shall be permissible with restriction of overall height of the structure.
7. Height of sloping roof zero at eaves and maximum 2.50 meters at centre.
8. Building along highways falling within the Special Area limits shall have the following mandatory provisions to have harmony with the surrounding environment and hill architecture:-
 - (i) Sloping roof with slates, CGI Sheets painted in Maroon or green colour.
 - (ii) 0.24 meter wide Facia with PGI Sheet painted in maroon or green colour.
 - (iii) Facade rendered preferably in stone or slate cladding. In case of non-availability of these materials, with alternative material by giving same touch.
 - (iv) Minimum 2.00 meters wide arcade in front of shops construction in a row.
 - (v) Building shall be completed/covered with roof within stipulated period, failing which penalty shall be imposed.
9. Construction in terraces shall be allowed to have a provision of storeys as permissible subject to fulfilment of Floor Area Ratio provision.
10. 1/3rd area of the top floor shall be allowed as open terrace wherever sloping roof is provided.

- 11. Set backs.
 - (i) Minimum front set backs from the line of controlled width of:- Highways and other PWD scheduled road falling within the planning area limits/special planning area limits (excluding the land included in the inhabited sites of any village as entered and demarcated in the revenue record or on sites in Municipal, notified or town area that are already built up) shall be 3.00 meter.
 - (ii) Minimum front set back from non scheduled roads and Municipal roads shall be 3.00 meter.
- 12. For the plots abutting highways, Bye-pass and other PWD scheduled roads, No Objection Certificate from Himachal Pradesh Public Works Department shall be mandatory as per Annexure-IV attached.
- 13. Maximum hill cut of 3.50 meter height shall be permissible.
- 14. Submission of structural design of the building at the time of submission of planning permission cases and structural stability certification on its completion shall be mandatory.
- 15. Competency for preparation of structural design and its certification:-
 - (i) For residential buildings to be constructed/completed on plot upto 500 square meters and upto three storeys or 11.00 meter height. Registered Architect.
 - (ii) For buildings to be constructed/ completed on plot upto 500 square meters and upto five storeys or 16.00 meter height. Graduate Civil Engineer having minimum 3 years experience in Engineering structure practice with design and feild work.
- 16. Checking by the concerned department that is Town and Country Planning/Nagar Nigam/ Nagar Parishad/ Nagar Panchayat/ Special Area Development Authority at plinth level and at every floor level shall be mandatory.
- 17. Building shall not be put to use prior to issue of completion certificate by the department in areas falling outside Municipal Corporation/ Nagar Parishad/ Nagar Panchayat but within planning area.

Handwritten signature or initials.

- 18. Issuance of No Objection Certificate for water supply and electricity connection:-
 - (i) Temporary = At plinth level.
 - (ii) Permanent = On completion of dwelling unit/floor/whole building.
- 19. Any No Objection Certificate issued by the department shall be liable for withdrawal on breach of terms and conditions of references of the issuance of such No Objection Certificates and undertaking to this effect shall be rendered by the applicant.
- 20. No Objection Certificate from the Himachal Pradesh State Electricity Board shall be obtained and attached with the application seeking planning permission as per Annexure-V attached.
- 21. Minimum permissible distance between two blocks constructed on a plot shall be 5.00 meter.
- 22. No development shall be permissible on land having buildable width less than 5.00 meter.
- 23. Minimum size of the booth/shop shall be 2.50 x 3.50 meters/ 3 x 6.50 meters respectively which may be relaxed in plan commercial area.
- 24. Minimum permissible distance of construction from the circumference of a tree/boundary of Forest shall be 2 meter/ 5 meter respectively.
- 25. Reconstruction on old lines/new construction on vacant sides in the pockets having maximum built up area shall be allowed with the prior recommendation of Director, Town and Country Planning to the extent of maximum four storeys + one parking floor provided site abuts minimum 5.00 meter wide street and adhering to set backs regulation except core area.
- 26. Construction on sandwich plots shall be permissible as per existing building lines.
- 27. No construction shall be permissible above vision line (1.50meter) on valley sides of highways/major roads.

..17..

- 26. 25% of the area for development shall be kept for parking in planned commercial complexes.
- 29. In new sub-division of land:-
 - (i) Minimum width of vehicular access if number of plots is above five. 5.00 meters (with cul-de-sac) at the end.
 - (ii) Minimum width of pedestrian links to smaller cluster of plots not exceeding five in number. 3.00 meters wide.
 - (iii) Minimum area for open/green space for the scheme having more than five plots. 10% of the scheme area.
 - (iv) Minimum area for soakage pit etc. (irrespective of number of plots). 5 % of the scheme area.
- 30. Maximum number of storeys on vacant land/plot located in bazar area:-
 - (i) Plot abutting path 3.50 meters wide and above. Three storeys.
 - (ii) Plot abutting upto 3.00 meters wide path. Two storeys.
- 31. Not more than three dwelling unit per floor shall be permissible in residential building constructed on plot having an area upto 250 square meters. For plot measuring more than 250 square meters one additional dwelling unit for every additional 100 square meters area shall be permissible in each floor.

Handwritten signature

PERMISSIBLE AREA STANDARD/NORMS FOR DIFFERNT PARTS OF A BUILDING SHALL BE AS UNDER:-

Habitable room	Minimum floor Area	9.50 square meters.
	Minimum width	2.40 meters.
Kitchen	Minimum floor Area	4.50 square meters.
	Minimum width	1.80 meters.
Bathroom	Minimum floor Area	1.80 square meters.
	Minimum width	1.20 meters.
W.C.	Minimum floor Area	1.10 square meters.
	Minimum width	0.90 meters.
Toilet	Minimum floor Area	2.30 square meters.
	Minimum width	1.20 meters.
Corridor	For residential	1.0 meters wide minimum.
	For other uses	1.20 meters wide minimum.
Stair	(i) For residential	1.0 meters wide minimum.
	(ii) For Hotel/flats/ Hostel/Group Housing/ Education institution like school, College etc.	1.50 meters wide minimum.
	(iii) Hospital/ auditorium/Theatre/ Cinema Hall.	2.00 meters wide minimum.
	For residential	25 cente meters minimum for internal stair case.
	For other uses	30 cente meters minimum for internal stair case.
Height of riser	For residential	19 cente meters maximum (15 numbers maximum in a flight).
	For other use	15 cente meters maximum (15 numbers maximum in a flight).

50

..19..

Spiral Stair Case In commercial building of three or more storeys. Provision of spiral stair case not less than 1.50 meters dia with adequate head height other than regular stair case shall be permissible as fire escape in addition to regular stair case.

Openings For sufficient air and light, windows and ventilators provided should have minimum area equivalent to 1/6th of floor area.

Balcony Projections 1.20 meter wide balcony complete open at two sides with restriction of 50% of building frontage where minimum front set back is 3.00 meter shall be permissible.

ANNEXURE-IV

NO OBJECTION CERTIFICATE FROM COMPETENT HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT AUTHORITY.

The Department of Himachal Pradesh Public Works has no objection on carrying out any development on land bearing khasra No..... of revenue village/ mohal abutting National Highway/ State Highway/ Scheduled road by the owner Gh./Smt. resident of with respect to provision of Himachal Pradesh Road Side Land Control Act, 1968 in this behalf as shown in the site plan.

ANNEXURE-V

NO OBJECTION CERTIFICATE FROM COMPETENT AUTHORITY OF THE HIMACHAL PRADESH STATE ELECTRICITY BOARD.

The Himachal Pradesh State Electricity Board has no objection on carrying out any development on land bearing khasra No..... of revenue village/mohal under the line by the owner Sh./Smt. resident of with respect to provisions of Indian Electricity rules, 1956 inforce in this behalf.

Seal Competent Authority of
Himachal Pradesh State Electricity Board.

These regulations shall come into force from the date publication in the Rajpatra, Himachal Pradesh.

By Orders:

Principal Secretary(TCP) to the
Government of Himachal Pradesh.

Endst No: As above Dated Shimla-2 22-08.2002.


Copy for information and necessary action to:-

1. All the Secretaries to the Government of Himachal Pradesh.
2. All the Deputy Coimmissioners in Himachal Pradesh.
3. All Head of Departments in Himachal Pradesh.
4. The L.R.-cum-Secretary(Law) to the Govt. of H.P., Shimla-2.
5. The Advocate General, H.P. Shimla-1.
6. The Private Secretary to the Chief Secretary to the Govt. of H.P., Shimla-2.
7. The Eexecutive Officer, Nagar Parishad/ Nagar Panchayats of Rampur, Bushaher, Parwanoo, Nahar, Paonta Sahib Hamirpur, Chamba, Una and Mandi.
8. The Director, Town and Country Planning, H.P., Shimla-9 w.r.t. his letter No: Him/TP-AZR/97-II-8999 dated 18.01.2002 for information and necessary action please with 10 spare copies.
9. The Additional Secretary(GAO) to the Govt. of H.P., Shimla-2 w.r.t. item No.3 of the Cabinet Meeting held on 09.07.2002 for information please.

52

..21..

- 10. The Chairman, Special Area Development Authorities. Hathoti, Sarahan(Shimla), Kufri, Shoghi, Kandaghat, Barog, Jabali, Paunta Sahib, Baba Balak Nath, Pong Dam, Khajjiar, Bharmour, Pangi(Kilar), Chamera, Una, Pandoh, Solang, Rohtang, Reckong Peo, Kaza, Keylong, Tabo and Udaipur.
- 11. The Town & Country Planner, Shimla/Solan/Sirmour at Nahar/Hamirpur/Mandi/Kullu/Dharamshala, H.P.
- 12. The Assistant Town Planner, Rampur/Bilaspur/Chamba/Una/Parwanoo, H.P.
- 13. The Controller, Printing and Stationary Department, H.P. Shimla-5 for publication in the Rajpatra(extraordinary). He is requested to supply two copies of the Rajpatra for office record.
- 14. Guard file alongwith 10 spare copies.



Under Secretary(TCP) to the
Government of Himachal Pradesh.