(AUTHORITATIVE ENGLISH TEXT OF GOVERNMENT NOTIFICATION NO. DATED 13.08.2015 AS REQUIRED UNDER CLAUSE (3) OF ART OF INDIA)

GOVERNMENT OF HIMACHAL PRADESH TOWN AND COUNTRY PLANNING DEPARTMENT

No. TCP-A(3)-2/2014

Dated, Shimla-2,

13th August, 2013

In supersession of all previous notifications relating to amendment of para 10.4 of Chapter-X of the Interim Development Plan for Shimla Planning Area and in exercise of the powers vested in him under sub-sections (4) and (5) of section 17 of the Himachal Pradesh Town and Country Planning Act, 1977 (Act No. 12 of 1977), the Governor of Himachal Pradesh is pleased to further amend the Interim Development Plan of Shimla Planning Area nonfied vide Notification No. 9-12/72-PW dated 24.3.1979 and published in Rajpatra of Himachal Pradesh on 31.3.1979, as under:-

In Chapter-X of the Interim Development Plan for Shimla Planning Area, for para 10.4, the following para shall be substituted, namely:-

10.4 Zoning Regulations.- In order to promote planned development, the Shimla Pianning Area shall be demarcated as per area wise specifications given under regulation 10.4.9 and for the said area the category wise Zoning Regulations shall be as under:-

10.4.1 Core Area.-(1) The Core Area shall comprise of the following areas, namely:

- Central Shim a bounded by the Circular Cart Road starting from Victory Tunnel and ending at Victory Tunnel via Chhota Shimla and Sanjauli and the area bounded by Mall Road starting from Railway Board Building to Ambedkar Chowk, covering Museum Hill by road starting from Ambedkar Chowk on the north side, joining the Chowk of Indian Institute of Advanced Studies and following the road joining Summer Hill Post Office and via upper road to Boileauganj Chowk and then joining the Cart Road, along Cart Road to Victory Tunnel; and
- (ii) From junction of Tribunal Road and Cart Road near Himachal Pradesh Secretariat, then along the Tribunal I oad / nath joining Boundary / Dhobighat path and then following Dhobighat/ boundary path upto the Shimla-Junga road near Boundary. Then following Chhoia Stinia Himalvi Bhawan path upto the house of Sh. Amin Chauhan, then alongwith house of Sh. Amin Chauhan Sh. Mansa Ram, Block No. 4,6,8,9,7,5,2 (all the Blocks of H.P. Housing Board) and house of Sh. Ramesh Negi, Sh. Diwan Chand Gupta, Sh. N.S. Pal. Sh. Inderver

Singh Pal, Sh. Ashwani Kumar, Sh. Y.K. Gautam and then along the path joining to the Chhota Shimla-Kasumpati path near Aira Holme's Public School Following Chhota Shimla-Kasumpati path towards Kasumpati upto junction of Shimla-Junga Road and SDA Complex road. Then following Shimla-Junga Road towards Chhota Shimla upto Cart Road near Ashiana Restaurant. Then following Cart Road upto junction of Tribunal Road and Cart Road near Himachal Pradesh Secretariat building.

- (2) In Core Area (except Green Area and Heritage Area), the following Regulations shall be applicable in addition to General Regulations contained in Annexure-1 appended to these Regulations:-
 - (i) Change of Land Use shall be allowed by the Administrative Department subject to the condition that the applicant fulfills the Regulations applicable for the Land Use proposed to be changed.
 - Change of Building Use shall be permissible and may be allowed by the Commissioner, Municipal Corporation, Shimla on merit of the case, subject to the condition that there is no disturbance to the adjoining building owners and fulfillment of other Regulations specified for the purpose. The Change of Building Use for Hotel and Guest Houses shall be permissible only if sufficient parking area is available.
 - (iii) Re-construction of existing Buildings on old lines except Heritage Buildings shall be permitted, provided the façade and architectural features are maintained. In the case of re-construction, aiming to increase the number of storeys, FAR, plot area etc., all the present Regulations shall be applicable.
 - (iv) Minimum width of path abutting one side of plot shall be 3.00 Metre.
 - (v) No industry shall be allowed in Core Area.
 - (vi) The minimum Plot Area, minimum Set Backs, maximum Floor Area Ratio (FAR) and maximum height of building shall be as under:-

Sr. No.	Description and Minimum Plot Area (in M ²)	Minim	um Set	Backs (in	Maximum Floor Area	Maximum Height in	
	7	Front	Left	Right	Rear	Ratio	Metres
1	2	- 3	4	5	6	7	8
qri)		Reside	ntial Use				Į.
1.	Detached Houses (i) 150 to 250	2.00	1.50	1.50	1.50	1.50	18.00

_		(ii) Above 250 to 350	2.00	1.75	1.75	1.75		1800
		(iii) Above 350 to 500	2.00	2.00	2.00	2.00	1.50	10.00
1		(iv) Above 500	3.00	2.00	2.00	2.00	1.50	18.00
1 13	78	Semi-detached Houses with						
	2.	common wall on one side		1.75.14	10500484			18.00
		120 to 250	2.00	2.00	2.00	2.00	1.50	1
	3.	Row Houses with common wall or two sides	1		1		mi Burt	
		90 to 200	2.00	Nil	Nil	1.50	0.50	18 00
			Comr	nercial U	se	78.01	ayouk (III)	
		a a militaria e di tata	1.00	Nil	Nil	Nil	Ti ansul _i 19	
	1.	Booths upto 10					893-JE, 0	
	2.	Shops	- NO.		1.60	1.50	1.75	4.00
		(i) Independent Shop above 10 to	4 00		1.50 Nil	1.50	1.75	6.00
		(ii) Shops/Showrooms (standalon Above 10 to 30	e)					
		(iii) Row Shops with common v on two sides above 10	2.00	Nil	Nil	1.50	1.75	5.0
	3	of the sun taxal management		0 2.00	2.0	0 2.00	1.75	21,0
		(i) 250 to 500 (ii) Above 500 to 1500	3.0			4 -1 -	1.50	21
		(îii) Above 1500	7.5			4.00	1.50	21.0
		Note:-						,
		(i) Parking 250 to 1500 (ii) The front set back in the Tokept as 1.50 M. (iii) Tourism Units, can be know (iv) In existing built up areas like	n by the na	abutting me of Hot	Highway	s where co	r by any other	
		4. Shopping Complex (i)750 to 4000						

The Paris	3.00	2.00	1 2 00	T 200	1.00	1 22
(ii) Above 4000	3.00	2.00	2.00	2.00	1.80	18.0
	3.00	3.00	3.00	3.00	2.00	21.0
Parking						the state of
(1) 750 to 4000 = 3	BECS per 100	M ² of bu	ilt un area			
(ii) Above 4000 = 4	Marie Consti			11.		
	ECS per 100 r	M OI DUI	it up area			
Note:-			-10	71		
ECS (Equivalent Car S	pace) shall me	an as un	der:-	W.		
(i) For parking in open	= 2	3 M ²				
(ii) For parking in stilts or grou	nd floor = 2	8 M ²				
(iii) For parking in basement flo	or = 3:	$2 M^2$				
Multi level parking	WILL B		F			1
(i)750 to 4000	3.00	2.00	2.00	2.00	1.80	100
(ii) Above 4000						18.0
	3.00	3.00	3.00	3.00	2.00	21.00
er Uses including public &	semi -pub	lic, edu	cationa	buildin	gs, police/i	fire-statio
ical, community hall, library /	religious bu	ildings	, private	offices e	etc.	1 10 1
	T					
(i) 250 to 500	3.00	2.00	2.00	2.00	2.00	21.00
	5.00	2.00	2.00	3.00	1.75	21.00
	L BEALE		2.00	3.00	1./5	21.00
(iii) Above 1000 to 5000 -	10.00	5.00	5.00	5.00	1.50	21.00
	The Line	100	1			
(iv) Above 5000	15.00	7.50	7.50	7.50	1.50	21.00

- Non-Core Area.- (1) The Non-Core Area shall comprise of the area falling outside the Core Area as specified under Regulation 10.4.1 and upto the boundaries of Shimla Planning Area.
 - (2) In Non-Core Area (except Green Area, Heritage Area and Rural Area exempted from development permission upto prescribed limits), the following Regulations shall be applicable in addition to General Regulations "contained in Annexure-I appended to these Regulations:-
 - (i) Change of Land Use shall be allowed by the Administrative Department subject to the condition that the applicant fulfils the Regulations applicable for the Land Use proposed to be changed.

- (ii) Change of Building Use shall be permissible and may be allowed by the Commissioner, Municipal Corporation Shimla or Chairman of concerned Special Area Development Authorities (SADA's) or Town and Country Planner, Divisional Town Planning Office, Shimla, as the case may be, on merit of the case, subject to the condition that there is no disturbance to the adjoining building owners and fulfillment of other Regulations specified for the purpose. The Change of Building Use for Hotel and Guest Houses shall be permissible only if sufficient parking area is available.
- (iii) Re-construction on old lines except Heritage Buildings shall be permitted. If such re-construction aims to increase the number of storeys, FAR, plot area etc., then all the present Regulations shall be applicable.
- (iv) Minimum width of path abutting one side of plot shall be 3.00 Metre
- (v) The minimum Plot Area, minimum Set Backs, maximum Floor Area Ratio (FAR) and maximum height of building shall be as under:-

Description and Minimum Plot	Minin	num Set E	Backs (in	Maximum Floor Area	Maximum Height in	
Alca(III W)	Front	Left	Right	Rear	Ratio	Metres
2	3	4	5	6	7	8
	Resid	ential Use				
Detached Houses						
(i) 150 to 250	2.00	1.50	1.50	1.50	1.75	21.00
(ii) Above 250 to 350	2.00	1.75	1.75	1.75	1.75	21.00
	2.00	2.00	2.00	2.00	1 75	21.00
(iii) Above 500	3.00	2.00	2.00	2.00	1.75	21.00
Semi-detached Houses with common wall on one side.			mu-jn			
1,20 to 250	2.00	2.00	2.00	2.00	1.75	21.00
Row Houses with common wall on two sides						
90 to 200	2.00	Nil	Nil	1,50	1,75	21:00
	Detached Houses (i) 150 to 250 (ii) Above 250 to 350 (iii) Above 350 to 500 (iii) Above 500 Semi-detached Houses with common wall on one side. 120 to 250 Row Houses with common wall on two sides	Area(in M²) Pront Resid Detached Houses (i) 150 to 250 (ii) Above 250 to 350 (iii) Above 350 to 500 (iii) Above 500 Semi-detached Houses with common wall on one side. 120 to 250 Row Houses with common wall on two sides 200 to 200	Area(in M²) Front Left	Area(in M²) Front Left Right	Area(in M²) Front Left Right Rear	Area(in M²) Front Left Right Rear Ratio

		Comn	iercial Us	se			
١.	Booths upto 10	1.00	Nil	Nil	Nil	•	4,00
2. 4	Shops your ben Metherman and	ÎL.		Tay-			
03	(i) Independent Shop above 10 to 30	2.00	1.50	1.50	1.50	1.75	4.00
eun mac		2.00	Nil	Nil	1.50	1.75	6.00
bee uch	(iii) Row Shops with common wall	2.00		Nil	1.50	1.75	6.00
	to the Municipality	. Et 1		LOWER !	in.		
3.	Tourism Unit					+	
M. Japa	(i) 250 to 500	3.00	2.00	2.00	2.00	1.75	21.0
	(ii) Above 500 to 1500	5.00	4.00	4.00	3,00	1.50	21.0
	(iii) Above 1500	7.50	5.00	5.00	4.00	1.50	21.0
	(i) Parking 250 to 1500 = 2 E (ii) The front set back in the Tourism U kept as 1.50 M,	The state of the s		The same of the same		olled width is :	5.00 M, ca
	(ii) The front set back in the Tourism I kept as 1.50 M. (iii) Tourism Units, can be known by the	Jnits abu	etting High	hways wh	ouse or by	y any other nan	
4.	(ii) The front set back in the Tourism I kept as 1.50 M.	Jnits abu	etting High	hways wh	ouse or by	y any other nan	
4.	(ii) The front set back in the Tourism I kept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas	Jnits abu	etting High	hways wh	ouse or by	y any other nan	
4.	(ii) The front set back in the Tourism L kept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas Shopping Complex.	Jnits abu	ntting High	Guest H	ouse or by	y any other nan	ne.
4.	(ii) The front set back in the Tourism Ukept as 1.50 M. (iii) Tourism Units, can be known by the tiv) In existing built up areas like Bazas Shopping Complex. (i)750 to 4000	Units abuse name of ars, the buse 3.00	of Hotel or uilding lin	Guest H	ouse or by	y any other nan d.	ne.
4.	(ii) The front set back in the Tourism Lept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas Shopping Complex. (i) 750 to 4000.	Jnits abuse name of the street	of Hotel or uilding lin 2.00 3.00	Guest H se can be	ouse or by	y any other nan d.	ne.
4.	(ii) The front set back in the Tourism Ukept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas Shopping Complex. (i) 750 to 4000 (ii) Above 4000 Parking	e name of ars, the but 3.00 3.00	of Hotel or uilding lin 2.00 3.00	Guest H e can be	ouse or by	y any other nan d.	ne.
4.	(ii) The front set back in the Tourism Lept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas Shopping Complex. (i) 750 to 4000 Parking (i) 750 to 4000 = 3 ECS p	e name of ars, the but 3.00 3.00	of Hotel or uilding lin 2.00 3.00	Guest H e can be	ouse or by	y any other nan d.	ne.
	(ii) The front set back in the Tourism Lept as 1.50 M. (iii) Tourism Units, can be known by the tiv) In existing built up areas like Bazas Shopping Complex. (i) 750 to 4000 Parking (i) 750 to 4000 = 3 ECS p (ii) Above 4000 = 4 ECS p	e name of ars, the but 3.00 3.00	of Hotel or uilding lin 2.00 3.00	Guest H e can be	ouse or by	y any other nan d.	ne.
	(ii) The front set back in the Tourism Ukept as 1.50 M. (iii) Tourism Units, can be known by the (iv) In existing built up areas like Bazas Shopping Complex. (i) 750 to 4000 Parking (i) 750 to 4000 = 3 ECS p (ii) Above 4000 = 4 ECS p Cinema 7 Cineplex	e name of the burs, the bu	of Hotel or uilding lin 2.00 3.00	Guest H e can be 2.00 3.00 up area	use or by maintaine	y any other nan d. 1.80 2.00	18. 21.0

		Olyama	tography Ac	t shall a	also apply	int not be		CULA SECT	
(ii)	Other Regulation	s as per Cinema	(OB) which	100	Totals	1			
1									
M	fultiplexes			100		3.0	CYTEST THE PARTY OF THE PARTY O	2.00	21.00
- SA			5.00	3.00	3.00) 3.0	,,,		
4	000 and above			0.0		- 1 F	10001 0	(80.836)616.6	
-			17 25			201	nation of	ga zauthana	Action of the
					A I		nnone o		
I	Parking	2 2			1	Part of		Mark Carlo	
	(i) Permissible w (ii) Parking space (iii) Other Regula (iv) Multiplex co least 2 Cinen less than 400 Outlet, Pubs, may have R Office space (v) Existing Cin	mplex shall me na Halls/ PVRs. O M ² . Apart from Health Spas/ (an an integra The minimum Cinema He Centers, Hot	ated enturn area alls, the els and	tertainme a on which Multiple other Ross, Bowlin	h this u exes shall e-creations	se shall be l also have mal activi s. Health	e permitted: e a Restaura ties. The sh Centers. Sh	should not b nt, Fast Food opping cent opping Mal
	Note:- 1 ECS (i) For parki	(Equivalent Canng in open	ar Space) sha		as under	Dun.	ANT HAND AND AND AND AND AND AND AND AND AND		
	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park	(Equivalent Cang in open ng in stilts or grang in basement	ar Space) sha	11 mean = 23 M = 28 M	as under	Dun.			
7.	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park	(Equivalent Cang in open ng in stilts or grang in basement	ar Space) sha	11 mean = 23 M = 28 M	as under	Royal 14 mm people (mr. Si.) 12 mm		1.80	18.0
7.	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa	ing in opening in stilts or gring in basement	ound floor	11 mean = 23 M = 28 M	as under	Dun.	2.00	1.80	18.6
7.	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park	ing in opening in stilts or gring in basement	ound floor	= 23 M = 28 M = 32 M	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Royal 14 mm people (mr. Si.) 12 mm			
	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000	ing in opening in stilts or gring in basement	ound floor	= 23 M = 28 M = 32 M	2 2.00 3.00	2.00	2.00	1.80	18.0
	provided 184 Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40	ing in opening in basement rking	ound floor	= 23 M = 28 M = 32 M	2 2.00 3.00	2.00 3.00	2.00 3.00	1.80 2.00 ngs, polic	18.0
	provided 184 Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40	ing in opening in basement rking	ound floor	= 23 M = 28 M = 32 M	2 2.00 3.00	2.00 3.00	2.00 3.00	1.80 2.00 ngs, polic	18.0
	provided 184 Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40	ing in opening in basement rking	ound floor	= 23 M = 28 M = 32 M	2 2.00 3.00	2.00 3.00	2.00 3.00 al building office 2.00	1.80 2.00 ngs, polices etc. 2.00	18.0 21.0 e/fire-stati
Om	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40 Other Uses incomedical, commit	ing in open ing in stilts or gr ing in basement rking luding public unity hall, lib	ound floor	= 23 M = 28 M = 32 M .00 .00 -pub ious b	2.00 3.00 lic, eduuildings	2.00 3.00	2.00 3.00	1.80 2.00 ngs, polic	18.0 21.0 21.0 30. 30.
	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40 Other Uses incomedical, commit	ing in open ing in stilts or gr ing in basement rking luding public unity hall, lib	ound floor	= 23 M = 28 M = 32 M	2 2.00 3.00 lic, edu uildings 2.00 2.00	2.00 3.00 cationa 3, priva 2.00 2.00	2.00 3.00 all buildinate office 2.00 3.00	1.80 2.00 ngs, polices etc. 2.00 1.75	18.0 21.0 e/fire-stati
Om	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40 Other Uses incedical, communical, communica	ing in open ing in stilts or gr ing in basement rking luding public unity hall, lib	ound floor	= 23 M = 28 M = 32 M .00 .00 -pub ious b	2.00 3.00 lic, eduuildings	2.00 3.00 cations 3, prive	2.00 3.00 al building office 2.00	1.80 2.00 ngs, polices etc. 2.00	18.0 21.0 21.0 30. 30. 30.
Om	Note:- 1 ECS (i) For parki (ii) For parki (iii) For park Multi level pa (i)750 to 4000 (ii) Above 40 Other Uses incomedical, commit	ing in open ing in stilts or gr ing in basement rking luding public unity hall, lib	ound floor floor 3 c & semi rary / relig	11 mean = 23 M = 28 M = 32 M .00 -pub ious b 3.00 5.00	2 2.00 3.00 lic, edu uildings 2.00 2.00	2.00 3.00 cationa 3, priva 2.00 2.00	2.00 3.00 all buildinate office 2.00 3.00	1.80 2.00 ngs, polices etc. 2.00 1.75	18.0 21.0 21.0 30. 30.

Sr. Type of Industry	THE SOCIETY	Industri	al Use			
Sr. Type of Industry and Minimun No. Plot Area in M ²	The second secon	nimum S	et Back in N	Metres	Maximum	
1	Front	Left	Right	Rear .	FAR	Maximum Height
Small Scale Industries	3,	4.	5.	6.	7.	in Metres
250 to 500	3.00	2.00	2.00	2.00	1.75	12.00
Above 500 to 1000	5.00	2.00	2.00	3.00		12.00
Medium Scale Industries	10.00	5.00			1.50	12.00
Above 1000 to 5000 Large and Heavy Scale Industries	or and	3.00	5.00	5.00	1.25	15.00
Above 5000	15.00	7.50	7.50	7.50	1.00	15.00

- 10.4.3 Green Area.- (1) The Green Area falling in Core Area and Non-Core Area shall comprise of the following areas, namely:-
 - (i) the Forest Area bounded by bye-pass and Cart Road starting from junction of barrier following the Cart Road to Parivahan Bhawan Nullah near Government Press, then alongwith houses of Shri Yog Raj Sharma, J.N. Kaushal, Government Press, Welfare Department to Tutikandi, following the path meeting at bye-pass road near Government High School, then following the bye-pass and back to the
 - Government High School following the path to Cart Road from Tutikandi near following down along with HPPWD Godown Block No. 28, Hostel I.T.I. Block No. 25-A, Block No. 23, Block-D, Block No. 21, Block L-II/84 and Block-II/83 along Nullah meeting at bye-pass road and back to Tutikandi near Government
 - Phagli and Lal Pani Forest bounded by Cart Road and bye-pass starting from Phagli path from the bye-pass to Railway parking to Cart Road and then alongwith Railway quarter Block No.62, house of Sh. Gopal Singh, Sh. Shiv Sr. Sec. School Lalpani, then alongwith, Ladakhi Mohalla path upto house of Smt. Janki Devi, Sh. Sunder Singh and Sh. Naresh, then following the Nullah meeting at bye-pass road and back to the Phagli path;
 - (iv) Bemloe Forest bounded by Cart Road and bye-pass starting from lift Nullah moving along Cart Road then following down the path near Government quarters meeting at junction on Cart Road to Bemloe road alongwith Post Office building, C.P.R.I. Complex, house of Sh. Sumer Chand, Sh. I.D. Garg, Smt. Tripta Devi, Smt. Uma Vati, Smt. Sawarn Lata, Block D & C to Bemloe road & bye-pass and following back to the bye-pass upto the lift Nullah;

- (v) Himland Forest starting from CPRI Complex on Bemloe Road to house of Sh. Ram Dhan Lal, Sh. Darshal Lal, Sh. Joginder Pal, Sh. D.P. Sharma to Cart Road, then following the Cart Road to Himland Nullah meeting at bye-pass to Bemloe Road and back to CPRI Complex;
- (vi) Khalini and Chhota Shimla Forest area bounded by Cart Road starting from the Nullah near Palika Bhawan, then following the Nullah to bye-pass road, then to B.C.S. Road via Khalini Chowk to the house of Sh. Prithvi Sen, Telecom Office, house of Sh. B.S. Chauhan, Hukmi Devi, H.T. Upadhya, Savitri Niwas & Suman Niwas meeting bye-pass and following bye-pass to B.C.S. Dhobighat, Servant quarters, Hospital, School Gate, Linlithgo Cottage, Gate Cottage, Pine Cottage, Jr. School of B.C.S. meeting bye-pass then alongwith bye-pass upto the junction of S.D.A. Road to Kasumpati-Junga Road alongwith SDA Blocks to Tibetian School to house of Shri. Vinod Sood, O.C. Bali, Parshotam Dass, M.M. Gulati, Brij Lal Gupta, K.S. Dhaluata, M.R. Sood, Balbir Singh, Joginder Lal. Varsha Vohra, Sarita Jaidk, Sant Kumar, R.R. Jain, B.L. Pandit, P.S. Negi, Bhupinder Obraia, T.L. Sharma, I.D. Gupta, Sudershan Mahajan, Penajit Singh, Army Servant quarter then alongwith Cart Road upto Palika Bhawan Nullah;
- (vii) Chhota Shimla Forest area above Cart Road starting from eastern path near Military quarter to Mall Road to western path meeting at Cart Road;
- (viii) Kasumpati Forest area starting from the junction of Kasumpati-Mehli path and Police Colony Road near H.P.PWD Enquiry Office, then following Mehli-Kasumpati path upto Geeta Mandir along Jammu Castle Road upto junction;
- Charlie Villa Forest areas starting from Himachal Pradesh Public Service Commission building alongwith Himachal Pradesh Housing Board Building, houses of Shri Joginder Singh Kanwar, Manta Niwas, Sanjeev Sharma, Urvashi Sharma, Dr. Amba Charan, B.R. Malhotra, Mahinder Singh, O.P. Gupta. Army building, Fakir Chand Tada to Mall Road to Chief Minister residence then following the Nullah near the house of Shri Satish Kumar Goel meeting at Cart Road;
- (x) Forest area starting from the Nullah near Himfed Petrol Pump, following the Nullah upto the junction of path and Nullah, then following the path to the Himachal Pradesh Secretariat building and following the Cart Road upto Himfed Petrol Pump;
- (xi) Jakhoo Forest starting from the junction of Raj Bhawan Road and Cart Road to Radha Swami Bhawan along U.S. Club Road to lift Nullah to Titla Hotel Bhawan along U.S. Club Road to lift Nullah to Titla Hotel Gollowing the road to Oak Wood through northern road, then following the Nullah down ward to Snowdon Pump House via Snowdon Road to house of Sh. T.D. down ward to Snowdon Pump House via Snowdon Road to house of Sh. T.D. Gupta, Sh. Sukhvinder Singh, M.C. Commissioner residence, Corner House (M.C.quarter), Nehar Singh Thakur and Govt. Sr. Sec. School Sanjuali to Cart Road, then following Cart Road, upto the junction of Raj Bhawan Road and Cart Road;

- (xii) Starting from Ram Chandra Chowk to Chief Minister residence via Raj Bhawan Road and Mall Road to Challet Day School, then along U.S. Club Road to Ram Chandra Chowk,
- (xiii) Forest area bounded by Cart Road and Snowdon Road starting from Sanjuali Chowk to Snowdon Hospital;
- (xiv) Bharari, Shankli and Ruldhu Bhatta Forest area starting from RKMV College along Keleston Road to Harvingtion to Lower Bharari road to sewerage line path alongwith house to Sh. M.L. Sharma (Geeta Bhawan), Prem Bhawan, house of Sh. Desh Raj to Cart Road along Nullah, then following Cart Road upto RKMV College.
- Summer Hill Forest area starting from the Boileau anj Chowk to Summer Hill Post Office alongwith Summer Hill Road, then following ITI Road upto the gate encircling the hillock;
- (xvi) Starting from the junction of Boileauganj and NH-22 near C.M.P. post to Boileauganj ground, Wakaf Board building shop No. 32 and Wakaf Board building, shop No.34 alongwith Chaura Maidan road upto Nullah near Press building and down the Nullah meeting at Cart Road; and
 - (XVII) Starting from the gate of Advance Studies along Elysium Hill Road to Ambedkar Chowk encircling Elysium Hill via Chaura Maidan Road upto gate of Advance Studies.
 - (2) In Green Area, the following Regulations shall be applicable:-
 - (i) In Green Areas only re-construction on old lines shall be permissible with same plinth area and number of storeys.
 - (ii) In existing buildings, the need based additions of lift, ramp, toilet and underground rain water harvesting tank, shall be permissible by the State Government on abutting land without felling of tree(s).
 - (iii) Minimum permissible distance of re-construction or construction of lift, ramp toilet from the circumference of a tree and boundary of Forest shall be two Meters and five Meters respectively.
- 10.4.4 (1) Heritage Area, Heritage Buildings and Cemeteries.

 The following Areas and Buildings whether falling inside or outside the Heritage Area or in Core Area or in Non-Core Area shall be Heritage Area and heritage Buildings:-

- (a) Heritage Areas:-
- (i) Vice Regal Lodge Complex complete;
- (ii) one building depth on either side of Road surrounding Vice Regal Lodge Complex;
- (iii) one building depth on either side of Mall Road from gate of IIAS upto Chhota Shim a Chowk via SBI, Scandal Point, Shimla Club and Oak Over:
- (iv) one building depth on either side of the path/road from Prakash Niwas (housing Shimla Type Writer) near SBI via Kalibari to Scandal Point:
- (v) the area bounded by Scandal Point, Ridge, Regal, Takka Bench, Church. Ritz.
 U.S. Club gate, PWD Office, Chalet Day School and The Mall Road:
- (vi) one building depth on either side of the Road from Oak Over to Barnes Court (Governor's Residence) via Woodvilla;
- (vii) Green patches within heritage area;

1. Post Office Summer Hill, 2. Indian Institute of Advanced Study, 3. Post Office (b) Heritage Buildings Chaura Maidan 4. The Cecil, 5. Carton House, 6. Clemont, 7. Race View. 8. Vidhan Sabha Himachal Pradesh, 9. Gorton Castle, 10. Railway Board Building, 11. Prakash Niwas, 12. State Bank of India, 13. St. Mark's, 14. Kali Bari Temple, 15. Grand Hotel, 16. Bantony, 17. Telegraph Office, 18. St. Andrew's Church, 19. General Post Office, 20. Building of the ICICI Bank, 21. The whole range of buildings starting from Northern Railway booking Agency opposite to Telegraph Office building and upto Ramji Dass Dina Nath Building on the Mall Road, 22. Town Hall, 23. Gaiety Theatre, 24. Band Stand, 25. M.C. Library, Ridge, 26. Christ Church, 27. Ladies Park, 28. United Services Club. 29. The Clarks, 30. The Chalet, 31. The Cedars, 32. Oak Over, 33. Cemetery near Oak Over, 34. Woodvilla, 35. Ernest, 36. Yates Place 37. Rai Bhawan (Barnes Court) 38. Police Station Sadar at Boileauganj; 39. Y.M.C.A., 40. St. Michael's Cathedral, 41. Deen Dayal Upadhayaya Hospital (Formerly Ripon Hospital), 42 Green Gate, 43. Rothney Castle, 44. Tara Hall, 45. Auckland House, 46. Chapslee, 47. Convent of Jesus and Mary, 48. Aira Holme, 49. Sterling Castle, 50. Hainault, 51. Jakhoo Temple, 52. Corner House, 55. Torrentium, 54. Pari-Mahal (Old building), 55. Holly Lodge main building, 56. Walsingham (D.C. Residence), 57. Kamla Nehru Hospital (Old), 58. Manorville, 59. Bishop Cotton School, 60. Govt. Boys Degree College Sanjauli. 61. Sodhowal Lodge, 62. The Kalka Shimla Railway Line, 63. Crow-Borough, 64. Inverarm (State Museum), 65. Strawberry Hill, 66. The Bemole Cottages. 67. Spring Field, 68. South Gate, 69 Foswell, 70. Emm Villa, 71 Craig Gardens. 72. Dimple Lodge, 73. Delphine Lodge, 74. Eddleston, 75. Eaglemount, 76.

Railway Station Summer Hill, 77. Winter Field, 78. St. Thomas Church, 795. Shimleshwar (Shiv Mandir), 80. St. Edward School, 81. Wood Bank Offices Rest House, 82. Thistle Bank, 83. Y.M.C.A., 84. Office of the Deputy Commissioner, 85. Ellerslie Building, 86. Police Station Chhota Shimla, 87. The Burj, 88. Armsdell, 89. Benmore Estate, 90. Toryne House, 91. Morvyn, (I.T.I. Shimla), 92. Police Station Sadar Sabji Mandi, Shimla.

(C) Cemeteries

Cemetery below the Barrier, Boileaugan, 2. Cemetery at Kanlog 3. Cemetery below St. Bede's 4. Cemetery at Sanjuali.

- (2) The Heritage Area shall be divided into two categories namely:-
 - (I) Built Heritage:

It shall comprise of all the buildings both private and Government falling within or outside the Heritage Area as declared by the State Government.

(II) Natural Heritage:

- (i) Area on hill side of the Mall starting from Khadi Gramodyog to Kali Studio,
- (ii) Daulat Singh Park.
- (iii) Café Park,
- (iv) Ridge, and
- (v) The open green patches, slopes, woodlands in Heritage Area and not covered under (i) to (iv) above.
- (3) The following Zoning Regulations shall be applicable in Heritage Area.
 - vacant sites, detailed architectural drawings/maps in the scale of 1:50 shall be prepared showing all architectural features with size and material proposed to be used alongwith two photographs of 15 cm x 25 cm size of adjoining heritage buildings. In case of re-construction on old lines, the detailed architectural drawings/maps in the scale of 1:50 shall be prepared showing all the architectural features with size and material proposed to be used alongwith old architectural drawings and two photographs of 15cm x 25cm size of the old building.
- (ii) The existing number of storeys and floor heights course of re-construction of old building. Internal changes shall be permissible without any changes to external façade.

- (iii) The original façade shall be maintained. The façade shall have the admixture of wood, stone, glass, slate and tiles as in the original building. If natural materials are not available, the alternative ones shall be given the same touch.
- (iv) The roof design shall be as under:-
 - (a) the roof of the buildings to be constructed on vacant sites shall be sloping with a maximum height of 2.70 Metres at centre. The continues Dormer on any side of sloping roof shall not be allowed. Maximum 2 Dormers on either side of sloping roof at a reasonable distance between eves and ridge shall be allowed; and

(b) in sloping roof, slate or corrugated iron sheets, plain galvanized iron sheets.

Hi-polymer plastic tiles shall only be used. Primary colours shall be used for roofing in post office red or forest green colour.

- (v) The aesthetics of Bay Windows in the existing buildings shall be enhanced by providing window boxes for flowers. In case of re-construction of buildings, bay windows shall essentially be provided to enhance aesthetics and functionality. Maximum 60 cm projection of Bay Window shall be permitted on the Set Backs.
- (vi) For construction of new buildings on vacant sites, the Regulations as applicable for Core Area and Regulations.
- (vii) A Heritage Advisory Committee shall be constituted by the State Government for giving recommendations for the developments proposed in the Heritage Area.
- (viii) The Registered Private Professionals Class-A category as specified under rule 17 of the Himachal Pradesh Town and Country Planning Rules, 2014 shall submit the building map to the Commissioner, Municipal Corporation, Shimla or concerned Special Area Development Authorities (SADA's) or Town and Country Planner, Divisional Town Planning Office, Shimla. The Commissioner, Municipal Corporation, Shimla or concerned Special Area Development Authorities (SADA's) or Town and Country Planner, Divisional Town Planning Office, Shimla forward the same to the Heritage Advisory Committee. The development permission shall be granted by the Commissioner, Municipal Corporation, Shimla or concerned SADAs or Town and Country Planner, Divisional Town Planning Office Shimla strictly on the recommendations of the Heritage Advisory Committee.
- (ix) The applicant seeking planning permission for re-construction or construction of buildings in Heritage Area shall follow the following architectural elements for maintaining aesthetics of the existing surrounding buildings, namely:-
 - (a) Dormer.
 - (b) Windows.
 - (c) Doors.

- (2) Roofing / pinnacles.

Bay Windows.

(h) Temporary Kiosks.

Facade.

Chimney.

(d)

(e)

(f)

- (x) In the Natural Heritage Area, temporary 'Kiosks' for special occasions may be installed by the Municipal Corporation Shimla with the approval of the Heritage Advisory Committee.
- (xi) Street furniture in Natural Heritage Area shall be provided in the following manner, namely:-
 - (a) Cast iron benches.

(b) Decorative lighting.

All the drainage system shall have half round stone ware pipes of various (c) sizes according to the quantum of run off of water alongwith stone edging.

The design of recreating water drinking spouts made of cast iron shall be got approved by the Municipal Corporation from the Heritage Advisory.

- (xii) All service line and pipes including electric and telephone wiring, sanitation, water supply etc. shall be concealed to improve the overall look of the Heritage Area.
- (xiii) (a) Brass plates of size of 0.60 M X 0.45M inscribing history of the building, shall be displayed at strategic points of historical buildings.
 - (b) The sign boards and hoardings to be provided at strategic locations shall be in accordance with the National Building Code of India, 2005. These shall not occupy more than 10% of the façade in any case.
- (xiv) Minor additions or alterations in the existing historical building shall be in conformity with the existing building and shall be permitted by the Commissioner, Municipal Corporation, Shimla or concerned SADAs or Town and Country Planner, Divisional Town Planning Office Shimla.
- 10.4.5. Rural Area.(1) The Rural Area of Non-Core Area shall comprise of the area falling outside the urbanisable area as shown in the Interim Development Plan of Shimla Planning Area as well as the areas extended vide Notification No. TCP-F(5)-1/2006 dated 12.1.2007.
 - (2) In Rural Area any person who owns land shall be exempted from permission for the development activities as specified under sub-section (1) of Section 30-A of the Himachal Pradesh Town and Country Planning Act, 1977 (Act No. 12 of 1977) upto the prescribed limits as defined in Appendix-8 of the

Himachal Pradesh Town and Country Planning Rules, 2014. However, the benefit of above exemptions shall only be available to the residents and original inhabitants of the areas, who owned the property at the time of commencement of the Act ibid and their natural heirs only and not to the persons who purchased land in Rural Area.

- 10.4.6. Sinking and Sliding Area.- (1) The Sinking and Sliding Areas shall comprise of the following areas, namely:-
 - (i) High Sinking Prone Area.-This area shall include the northern slopes of the Ridge extending upto Grand Hotel in the west and covering Lakkar Bazar including Central School extending Auckland Nursery School and extending down below upto Dhobighat below the Idgah Electric Substation.
 - (ii) Sliding Areas.-This area shall include Ladakhi Mohalla (Krishna Nagar), the spurs below the office of the Director of Education and the surrounding areas of Clarks's Hotel.
 - (2) In Sinking and Sliding Area, the following Regulations shall be applicable:-
 - (i) The development permission shall be granted by the Commissioner, Municipal Corporation, Shimla in whose jurisdiction the Sinking and Sliding Area falls.
 - (ii) The Regulations as applicable for Core Area and Non-Core Area shall be applicable in Sinking and Sliding Area.
 - (iii) Re-construction or new construction on vacant plot shall be allowed on the basis of a structural design & soil investigation report and in consonance with the Geological Report of the competent authority. In case of negative observations, the construction shall not be allowed or shall be allowed as per conditions imposed by the consultant.
 - 10.4.7. Simplification of the Map Approval Process.-The whole map approval process in Shimla Planning Area shall be as under:-
 - (i) the Registered Private Professional (s) shall be one who is registered/ empanelled by the Town and Country Planning Department, under rule 17 of the Himachal Pradesh Town and Planning Rules, 2014. (herein after referred to as the "said rules");
 - (ii) the Registered Private Professional (s) shall be competent to certify building map (except apartments and colonies) in the Shimla Planning Area and will submit complete set such building map in following form along with necessary documents to the Competent Authorities i.e.

16

Commissioner, Municipal Corporation, Shimla for the area falling in Municipal Corporation Shimla or to the concerned Special Area Development Authorities for the area falling in Special Areas or to the Town and Country Planner, Divisional Town Planning Office Shimla for the rest of the Shimla Planning Area:-

Centification of Professional(s)/em	Building Maps by the Registered Privation and Country Planning Department	ate
No.		
140	Dated	
To		
The Commissioner/S	ADA/Ta	
	ADA/Town and Country Planner Shimla,	
Country Planning Act, 19 Khasra No	ubmit certified building map alongwith necessary documents ission under section 31 of the Himachal Pradesh Town and 77 in the Name of Sh./Smt./M's	d 1
Seed the seal and	Yours faithfully,	
an manual ability treatment manual and	(Signature of the Registered Private Professional) Address.	
Zin magilera tar 5 je		
Copy to:-	Phone No.	
Sh./Smt	with a request	
the map is approved by the	Competent Authority.	
s bearing and we want	(Signature of the Registered Private Professional)	
	Address. Phone No.	4
N 76 disk yar ya man ay Marakan I manasan		

the Competent Authorities shall examine the certified building maps as early as possible but not later than one month of submission of certified building (iii)

if certified building map is in order, sanction will be conveyed by the Competent Authorities to Registered Private Professional (s) in next 15 (iv)

in case of any discrepancies are found in the map, the Competent Authorities shall convey the observations in next 15 days to the Registered (v)

Private Professional (s).

in case Competent Authorities are not convinced with the reasons given by the Registered Private Professional (s) and said discrepancies are stated to (vi) be in violation to the Regulations, the approval shall not be granted and concerned Registered Private Professional (s) shall be informed by speaking order and certification granted by him to applicant/ owner shall be treated as null and void.

No Objection Certificate (NOC) for release of service connections under section 83-A of the Himachal Pradesh Town and Country Planning Act (vii) 1977 (Act No. 12 of 1977) at plinth level shall be given by Competent Authorities, after obtaining certificate from the Registered Private Professional (s), subject to physical verification by the Competent Authorities or their representative(s) and in conformity with the

(viii) in no case, the construction will be done by the Owner without engaging

Registered Private Professional (s).

the Registered Private Professional (s) shall ensure that the construction of building is completed strictly as per the sanctioned building map. In case, (ix) any dispute arises between the Owner and the Registered Private Professional (s), the present Registered Private Professional (s) shall hand over the sanctioned map and the work done at site to the new Registered Private Professional (s) engaged by the Owner duly signed by all the three parties under intimation to the Competent Authority.

in case any deviation is found, Notice under relevant section(s) of the Himachal Pradesh Town and Country Planning Act, 1977 (Act No. 12 of 1977) shall be issued by the Competent Authority and simultaneously action shall be taken against the Registered Private Professional (s) including cancellation of Registration as per Appendix-10 of rule 17 of the said rule: by giving a reasonable opportunity of being heard to the Registered Privalent

Professional (s).

in case Registered Private Professional (s) notices certain violations being (xi) made by the owner, he shall immediately intimate the owner and ask him stop further work. He shall also intimate the same to the Competent Authority regarding such violations.

A completion certificate (CC) will be issued by the Competent Authorities (xii) in following form after certifying that said construction has been carried out

as per sanction accorded by the Competent Authority:-

COMPLETION CERTIFICATE

	Dated.
	Shri/Smt./M/s (Registered Private Professional)
Sı	oject: Completion Certificate
Re	erence: Your Application Nodated
****	This is in reference to your Application dated
	Commissioner/SADA/Town and Country Planner Shimla,
(xiii) xiv) xv)	the Competent Authority shall have the right to reject any completion certificate, if the same is in violation to the sanctioned plan by passing speaking order. Simultaneously a penal action shall be taken against Registered Private Professional (s) as per prevailing law (s). composition of Offences under rule 35 of the said rules shall be done by the Competent Authority. applicant shall have choice for getting development permission either through Registered Private Professional or may apply directly to the Competent Authorities.
lote:-	The Registered Private Professionals (s) with Class-A shall be competent to certify maps in the Municipal Corporation Area, as prescribed under rule 17 of the said rules.

- 10.48 General Regulations.- The following General Regulations shall apply to all development activities in the Shimla Planning Area wherever applicable:-
 - (1) Maximum acceptable slope for development shall be 45 degrees.
 - (2) One parking floor shall be mandatory wherever feasible. Maximum height of parking floor shall be 4.00 Metres including depth of beam below the ceiling of the slab and it shall be over and above the permissible Floor Area Ratio (FAR) limit. However, the fee shall have to be paid for parking floor. The shear walls shall be constructed on all the three sides of parking floor so that it is not a soft storey.
 - (3) In case, space as per requirement for parking is available in open, over and above the Set Backs, condition of parking floor shall not be insisted. The closed floors in a building at any level, if proposed and feasible for parking, shall be allowed over and above the permissible Floor Area Ratio (FAR), subject to height restriction and structural stability. The fee shall have to be paid for parking floor. In case any person intends to construct parking floor, if feasible for parking, in addition to the number of storeys approved, will be allowed over and above the permissible Floor Area Ratio (FAR) subject to structural stability. The fee shall have to be paid for such parking floor. The said parking floors shall be used exclusively for parking only. Though, one parking floor is mandatory yet, second parking floor can be constructed which will be optional. Subsequent parking floors shall be included in the Floor Area Ratio (FAR).
 - (4) Every room used or intended to be used for the purpose of an office or for habitation in any building shall have a height of not less than 2.70 Metres measured from the floor to ceiling. In any such room having a sloping ceiling, the height shall be measured to the mean height of such ceiling above the floor level. Provided that no portion of such room shall have a height of less than 2.00 Metres. The chimneys, elevators, poles, tanks and other projections not used for human occupancy may extend above the prescribed height limits. The cornices and window sills may also project into any required Set Backs.
 - (5) Sloping roof shall be mandatory in hill areas and the main roof shall be gable end roof or hipped end roof with option of dormer/chimneys. The roof may be of GCl, GlS or slate roof with facia shall be provided with weather board and weather strip for proper dripping of rain water. The roof shall be painted with post office red or forest green or natural roofing material such as slates.
 - (i) Height of sloping roof zero at eaves and maximum 2.70 Metres at centre shall be permissible. The continuous Dormer on any side of sloping roof shall not be allowed. Maximum 2 Dormers (preferably Gable and Triangular type) on the either side of sloping roof at a reasonable distance between eves, sides and ridge shall be allowed. The 1/3rd area of the top floor shall be allowed as open terrace wherever sloping roof is provided.

OR

- of the sloping roof shall be zero at eves level at slab of attic floor, which shall not exceed 0.60 Metre horizontally including gutter and facia and maximum 5.50 Metre at centre shall be permissible. The total height of the Dormer shall not exceed 3.25 Metre at ridge level of the Dormer from the attic floor level. The Dormer shall be at least 1.50 Metre away from eves of main roof. The total width of any individual Dormer shall not exceed 2.5 Metre.
- (iii) The enclosed space left under roof and above habitable space shall be used for water storage tanks.
- (iv) Roof top @ 12 M² per 1 Kilo Watt peak (KWp) can be used for Solar Photovoltaic (PV) installations.
- (6) (i) Minimum front Set Backs from the line of controlled width of Highways and other Himachal Pradesh Public Works Department's scheduled roads falling within the Planning Area /Special Area limits (excluding the land, included in the inhabited sites of a village as entered and demarcated in the Revenue record or on sites in notified Municipal or town area that are already built up) shall be 1.00 Metre.
 - (ii) Minimum front Set Back from non-scheduled roads and Municipal roads shall be 3.00 Metres.
 - (iii) Every building shall have a clear means of access there to from a street or road. The competent authority may require the provisions of an access lane or access road within the site of any new building. Where for the purpose of this Regulation, it is necessary to determine the width of any road or street, the same shall be determined by the competent authority.
- (7) For the plots abutting Highways, Bye-pass and other Himachal Pradesh Public Works Department's scheduled roads, No Objection Certificate (NOC) from the Himachal Pradesh Public Works Department shall be mandatory in the cases where plot is directly abutting to these roads and there is direct access through connecting bridge and by constructing ramps to such roads.

(8) No construction shall be allowed on Valley Side above the road level on the following National Highways, State Highways & Major District Roads of Shimla Pianning Area.

Four lane:		111		Salar proming Language 2012
Kaithalighat (Shoghi) to D	Ohalli.	- 12		
National Highway-5:	0.1	Objects Theory	- Markand	a-Rampir Road
Chandigarh-Kalka-Parwar	100-Solar	i-Shimia-Theo	g-Ival Kallu	a-Rampar Rose.
National Highway-88:		Hart Land	4	
Shimla-Mandi Road.		13 15 15 15 15 15 15	أصاليك	
State Highway-13:				

Shimla-Tatapani-Mandi Ros	Major District Roads		
7 - T = 1 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -		4 3407	1 5 2 2 2
Mehli to Junga.			
Mehli to Shoghi via Anandr	pur.		
Taradevi - Jutogh Bye Pass	S		
Totu to Kunihar via Alrpor	nt.		
Carinali Dhalli Bye Pass			
Chotta Shimla to Panthagha	atti via Kasumpti.	and the second	
Circular Cart Road.			1.

(9) No construction shall be permitted on the either side of Sanjauli- Dhalli Bye pass upto 15 Metre from the acquired width of the road.

(10) (i) No building shall be built to abut against an earth cutting including a toe wall supporting an earth cutting. Building shall be allowed to come up without

disturbing the natural land profile.

- (ii) A clear intervening space or area of a width of not lass then 1/4 of the height of the earth cutting shall be left between such building at ground floor level and the roe of the earth cutting. Such intervening space or area shall in no case be less then 2.00 Metres in width. For the purpose of this Regulation, the height of the earth cutting shall be deemed to be the height measured on a vertical line drawn from the toe of such earth cutting. Any such retaining wall/breast wall/ diaphragm wall/toe wall shall be independently certified to be structurally safe by the Structural Engineer.
- (11) Submission of structural stability certificate on its completion shall be mandatory.
- (12) Civil Engineer having minimum three years experience in Engineering Structural design shall be eligible for preparation of structural designs and issuance of certificates thereof.

(13) Issuance of No Objection Certificate (NOC) for water supply and electricity connection:-

13) 10.		
(i)	Temporary	At plinth level
(1)	D-2-monent	On completion of dwelling unit /floor /whole building.
(ii)	Permanent	the building constructed after getting the plan

Any subsequent deviations made in the building constructed after getting the plan approved and after grant of No Objection Certificate (NOC) issued by the Department shall entail the entire building unauthorized and NOC so issued shall be withdrawn and the services shall be disconnected.

Adequate distance from the electric lines as per the requirement of Himachal Pradesh State Electricity Board Limited (HPSEB Ltd.) Rules shall be maintained. No Objection Certificate (NOC) of the competent authority shall also be required, if HTTAT line is crossing through the site.

- (16) Minimum permissible distance between two Blocks constructed on a plot shall be 5.55 Metres.
- The construction shall be allowed at distance of 3.00Metre and 5.00Metre from Nullah and Khad respectively.
- (18) No residential building shall be permissible on land having buildable width less than 5.00 Metres after leaving Set Backs.
- (19) No construction shall be allowed within a radius of 2.00 Metre from the existing tree and 5.00 Metres from the Forest boundary measured from the circumference of an existing tree.
- (20) Construction on sandwich plots in Bazaar area shall be permissible for shops as per existing building lines, only in existing built up areas.

(21) In new sub-division of land:-

(i).	Minimum width of vehicular access, if number of plots is above 5.	5.00 M (with cul-desac) at the end.
(ii)	Minimum width of pedestrian links to smaller cluster of plots, not exceeding 5 in number.	3.00 M.
(iii)	Minimum area for open/green space for the scheme having more than 5 plots.	10%
(iv.	Minimum area for soak pit etc. (irrespective of number of plots)	5% of the scheme area
(v)	Orientation of the plots shall be provided in such a manner so as to be in conformity with the integration of existing plots/infrastructure, wind direction, natural flow of surface drainage to allow un-obstructed rain water discharge.	
(vi)	Layout of plots shall be governed by easy access having acceptable grades minimum 1in 15 and which may not obstruct view or vista.	

Permissible Area Standard/Norms for different parts of a Building shall be as under:-

Habitable room	Minimum floor area Minimum width	9.50 M ² 2.40 M
Kitche:1	Minimum floor area Minimum width	4.50 M ² 1.80 M
Bath room	Minimum floor area Minimum width	1.80 M ²

		1.20 M
Water Closet (WC)	Minimum floor area Minimum width	1.10 M ² 0.90 M
Toilet (WC+ Bath)	Minimum floor area Minimum width	2.30 M ² 1.20 M
Minimum width of corridor	For Residential use For Other uses	1.00 M 1.20 M
Minimum width of stairs	For Residential use For Other uses	1.00 M 1.50 M
Maximum width of treads without nosing	For Residential use For Other uses	25 Centimeter wide for internal stairs 30 Centimeter wide for internal stairs case
Maximum height of riser	For Residential use For Other uses	19 Centimeter 15 Centimeter
Provision of spiral stair case	For Other uses expect Residential use	Provision of spiral stair case not less than 1.50 Metre dia with adequate head height for fire escape in addition to regular stair case
Openings	For sufficient air and light, with minimum area equivalent to 1/6	windows and ventilators should have the of Floor area.
Projections over doors, windows and ventilators.	0.60 M	
Balcony Projections	1.20 M wide Balcony complete % of building frontage where m be permissible.	open on two sides with restriction of 50 inimum front Set Back is 3.00 M shall

(23) The habitable basement and attic shall be counted as independent storey.

(24) No plot size restriction shall be applicable for the plots existing prior to 31.3.1979, however, Interim Development Plan Regulations applicable immediately after coming into operation of Notification No.9-12/72-PW dated 24.3.1979 published in the official Gazette on 31.3.1979 regarding Interim Development Plan for Shimla Planning Area shall be applicable.

- Appendix-7 of the Himachal Pradesh Town and Country Planning Rules, 2014. The powers for Registration of Promoters / Estate Agents and powers for issuance of Licences shall vest with the Director, Town and Country Planning
- Though minimum area of plot has been defined in the Regulation 10.4.1 and 10.4.2 yet the plots allotted by the Central or State Government under various Social Housing Schemes including Gandhi Kutir Yojana, Indira Awas Yojana, Rajiv Awas Yojana, Affordable Housing Schemes, launched by the Central or State Government, may be considered and permission will be accorded in relaxation of Regulations. However, the minimum area of plot for the persons belonging to the Economically Weaker Sections and Low Income Groups of society should not be less than 45 M² and 80 M² respectively.
- (27) Service floor wherever proposed is required for transferring of the plumbing and other services effectively and to maintain the hygiene of habitable area in case of Commercial/Shopping Complex and Tourism Unit. For service floor, wherever proposed shall have height restriction of 2.10 Metres and this floor shall not be counted in the FAR, however, the overall height restriction of building will remain the same".

10.4.9 Shimla Planning Area shall be comprised of the following areas:-

Sr.	Name of Area	Des	cription		Competent Authority
	Municipal Corporation Shimia	Enti	re 25 numbers wards	(1-25)	Commissioner, Municipal Corporation, Shimla
11	Notification No. TCP-F(5)4/2000 dated	Sr. No.	Name of the Village	Hadbast No.	Special Area Development Authority, Kufri
		1.	Lambi Dhar	349 (Whole)	
		2.	Jungle Mashobra	247(Partly, as already bifurcated in M.C. Shimla).	
		3.	Kolu Ka Jubbar	309 (Partly, as bifurcated by Khasra No. 2,21,	lated to total -bi-sure catali- populari

Sec.			25		
Arried 4	* 1 FE - 1			85, 79, 80, 95, 96,	
	1 1 1 1 1 1			106 inclusive	
	. White		HI .	towards Shimla-	
	2000	* +		Suni Road).	
			HALL IN FA		
			n le'	307 (Whole)	
		4.	Jhalti		
		5.	Chanavat	308 (Partly, as	
				bifurcated by	
			à.	Khasra No. 64,	
				65, 66, 67, 68	
		134		inclusive towards	
				Shimla-Sunni	
				Road).	
		1		206 (Whala)	i i
	134-	6.	Bontlu	306 (Whole)	
		+	Dhagog	305 (Partly, as	
		11:11	Dilagog	bifurcated by	
				Khasra No. 1. 3.	
				4, 22, 151, 158,	
			and the state of t	162. 215,	
				219,220, 221,	
				119, 117, 116,	
	EL IRV S			112 inclusive	
				towards Shimla-	
				Sunni Road).	
		8.	Jungle Dhagog	304 (Whole)	
			Totly	303 (Partly, as	
	7	.9.	Jotlu	bifurcated by	t December
				Khasra No. 1, 8,	
				128, 129, 137,	
				138, 155, 156,	
				186, 187, 188,	
				195, 196	
				inclusive towards	
				Shimla-Sunni	(a)
	* *			Road).	
					1

T	10.	Bhatla	-	1000	1			
	10.	Dhatia		bifur	(Paricated	by		
			-		5, 6, 7			
1804					72, 73			
15		ilia i			inc			
					ds v	illage		
	K			Sandl	iora).			
l	11.	Sandhora		296 (Whole)			
1	2.	Kailidhar		297 (V	(hole)			
. 1	3.	Jungle Ba	arog	298 (V	Vijole)		-	
	-	Sheel			-			~
14	4.	Balldehan		283 (W	hole)		-	
15	5.	Shaiser		291 (Partiv	20	1.0"	
				bifurca	ed .	hv hv		
				Khasra	No.	582		
				486,				
				334,	45.	346		
				347, 3				
		10		355, 3				
11-1				864				
				owards				
1 -			S	unni R	oad).			
16.	N	1ashobra	2.	46 (Pa	artly	36		
			bi	furcate	d	in		1
			1	I.C.Shi		***		
17.	Re	etreat	24	3 (Wh	le)			
18.	CH	harabra	24	1 (337)				
		aldraora	24	1 (Wh	le)			
19.	Ju	ngle Chharabra	24	0 (Who	le)			
20.	Ku	fri Junga	229	2 (11/1-	la)			
			Tree-	8 (Who				
21.	Ku	fri Koti	229	(Whol	e)			
22.	Cat	chment Area	242	(Whol	e)			
	77							

					350 (Partly, as	2		
		23		Badah	bifurcated in			
					Olluloutea	1.		4
3	all all and the				M.C.Shimla)	-1		
		24	1	Chhakryal	352 (Partly, a	is		
			1.	Cimariyai	31 (3	n		
					M.C.Shimla)			
						-		31
		25	5.	Chamyana	3	as		
					Dilarout	in		
1					M.C.Shimla)			
- 1		2	6:	Shanan	375 (Partly, a	as	- IP ::	
1		5110	0.	Silaliali		in i		
	v		TE I		M.C.Shimla)	• 1		
					14			
	* × -	1 2	7.	Malyana	3.0 (as		
					Ollarda	in		
		2 2 3 2			M.C.Shimla)			
	100	18.4	1		353 (Whole)			Į.
.		2	8.	Mewag	333 (Wildie)	Î		
			29.	Ganoti	377 (Partly).	as		
			9.	Ganoti	already bifurcat	ed	3. 20	
		IT NEW			in M.C.Shimla)			
		450		L C - Laboratoria				
		3	30.	Jungle Ganoti	300 (2)	as		
					already bifurcat	ed		
	dan-				in M.C.Shimla			
	Justicia		Ç.					
		77070	it.					
1	2		31.	Kamali	379 whole		-	
H.,			No.		an (D. He	-		E.
30	70		32	Shakral	381 (Partly.	as		
	*				bifurcated	in		
					M.C.Shimla).			
			20	Mehli	113 (Partly.	as		
	1700		33	MICHIE	bifurcated	in		
	7 7 1 1 1 1 1	-		+ =	M.C.Shimla).			
						-		- B
III	Shoghi Special	Area	1.	Pawad	393 (Partly, as		Special Area	
111	notified	vide			bifurcated by		Development	
	Notification No.				Khasra No. 617	7.	Authority.	

F(5) 4/ 2000 dated 30.11.2000			618, 621, 623, 583, 600, 599, 595, 593, 591,	Shoghi
El truca			571, 572, 574, 447, 648, 298, 297, 282, 283, inclusive towards	
			Shimla-Kalka Road).	
	2.	Chelli Chola	382 (Whole)	
	3.	Gusan	117 (Partly, as bifurcated by Khasra No. 562/8,	
http://			2, 12, 15, 68, 69,103, 104, 105, 106, 107, 108,	
es per 1 pr lesso latinas			113, 114, 192, 357, 358, 143, 136, 539/132, 542/135, 539/132,	
	\$		515/23, 512/20, 513/20, 514/20, 19, 559/511/18, 556/510/18,	
Numery L		1640 A. S	555/510/18, 557/510/18, 547/1, 449/4,	
			551/5, 564/8 inclusive towards villages Sargheen and Kwara).	
pi 2 temps	4.	Pujarli	116 (Partly, as bifurcated by Khasra No. 83, 82, 85, 89, 1402/	
E Luci		13254	321, 327, 328, 329, 338, 344, 360, 359, 357, 356, 355, 342,	

4.11			
		341, 337 inclusive towards	
		villages Kwara and Gusan).	
5.	Kwara	115 (Partly, as bifurcated by Khasra No. 250, 118, 189, 220, 217, 219, 200, 209, 210, 366, 365, 401, 402, 399, 480, 481, 505, 483, 511, 513, 948/791, 789, 788 inclusive towards village Sargheen).	
б.	Sargheen	114 Partly (As bifurcated by M.C.Shimla)	
7.	Patti Rehana	110 Partly (As bifurcated by M.C.Shimla)	
8.	Rajhana	109 (Whole)	
9.	Nehra	108 (Whole)	
10.	Bihar	104 (Partly, as bifurcated by M.C.Shimla).	
111.	Barhai	102 (Partly, as bifurcated by M.C.Shimla).	
12.	Malog	100 (Whole)	
13.	Sheel Gaon	99 (Whole)	3
14.	Pattiud	98 (Whole)	
	8. 9. 10.	6. Sargheen 7. Patti Rehana 8. Rajhana 9. Nehra 10. Bihar 11. Barhai 12. Malog 13. Sheel Gaon	inclusive towards villages Kwara and Gusan). 5. Kwara 115 (Partly, as bifurcated by Khasra No. 250, 118, 189, 220, 217, 219, 200, 209, 210, 366, 365, 401, 402, 399, 480, 481, 505, 483, 511, 513, 948/791, 789, 788 inclusive towards village Sargheen). 6. Sargheen 114 Partly (As bifurcated by M.C.Shimla) 7. Patti Rehana 110 Partly (As bifurcated by M.C.Shimla) 8. Rajhana 109 (Whole) 9 Nehra 108 (Whole) 10 Bihar 109 (Partly, as bifurcated by M.C.Shimla). 11. Barhai 100 (Partly, as bifurcated by M.C.Shimla). 12. Malog 100 (Whole) 13. Sheel Gaon 99 (Whole)

	15. Bhog	125 (Partly, as
		bifurcated by
		Khasra No. 118,
B 1118		117, 108, 105,
	# a 10	101, 106, 30, 37,
	211	38, 39, 1111/43,
		562, 1112/177,
		150, 561, 558,
al Jul		626, 630, 777,
	01-1	775, 644, 646,
1-1-2		603 inclusive
		towards Dhalli-
		Shoghi Road).
16	Mahauri	96 (Partly, as
		bifurcated by
		Khasra No. 34,
		30, 26, 741, 46,
1		739/24, 748/204,
		203, 154, 153,
		149, 148, 137,
		138, 188,
		116,112, 111,
1		385, 813/367,
		811/645 inclusive
		towards Dhalli-
		Shoghi Road).
17.	Shoghi	95 (Whole)
	ti de la companya de	55 (Whole)
18.	Gawahi	397 (Partly, as
- Articles		bifurcated by
		Khasra No. 338,
		303, 302, 425
		inclusive towards
	3, 1	Shimla-Kalka
		Road).
10		
19.	Panog	396 (Partly, as
		bifurcated by
	, i	Khasra No. 151,
		203/139, 126,

			183, 110, 107,
			106, 184
- 114			inclusive towards
			Shimla-Kalka
	\mathbb{H}		Road).
	20.	Ganaidi	382 (Partly, as
149			bifurcated by
			Khasra No. 179,
			157, 176, 177,
	-		178 inclusive
			towards village
			Batlana).
	21.	Batlana	381 (Partly, as
			bifurcated by
			Khasra No. 207,
			380/268, 266/220
			inclusive towards
			Shimla-Kalka
inadi			Road).
	22.	Jungle Tarab	97 (Whole)
	23.	Matholi	370 (Whóle)
	24.	Bharyal	6/87 (Partly, as
	H		bifurcated by
			M.C.Shimla)
	25.	Majthai	6/86 (Partly, as
(Per			bifurcated by
			M.C.Shimla).
	26.	Dawat	6/82 (Partly, as
			already bifurcated
The state of the s		•	in M.C. Shimla)
The Laborator			
	27.	Manglooj	6/84 (Whole)
	28.	Badoh	338 (Whole)
	29.	Kayargi	30/42 (Partly, as
			bifurcated by

	1701	00	
			Khasra No. 28, 29, 33, 27 inclusive towards
			Village Bagna).
	30). Bagana	343 (Whole)
	31	. Panti	344 (Whole)
	32	. Dhanokri	345(Whole)
	33	. Shilru	331(Whole)
	34.	Patina	330(Whole)
1	35.	Khalog	95(Whole)
1	36.	Thalu Chamaru	329(Whole)
	37.	Kot	326 (Whole)- Solan District)
-	38.	Chandoli	325 (Whole)- (Solan District)
	39.	Pawabo	324 (Whole)- (Solan District)
4	10.	Sayari	322 Whole- (Solan District)
4	1.	Balain	16/195(Whole)
4	2.	Banwi	16/196 (Whole)
4.	3.	Mawari	16/198(Whole)
44	4.	Barog	16/188(Whole)
45	5.	Kaphlerh	16/169(Whole)
16		Jakari	9/108(Whole)
17	18	Khayari	9/101(Whole)
8		Baghli	86/337(Whole)
			The second of th

		49.	Gudshali	6/83(Whole)	
		1.	Rehal Bachadi	7/88(Whole)	Special Area Development
	Area notified vide Notification No. TCP-	2.	Fatnechi	7/89 (Whole)	Authority.
F(5)-5/20	F(5)-5/2004 dated 4.11.2004	3.	Kanda	11/109 (Partly) as already included in Shimla Planning Area	Ghanahatti
	(mag	4.	Dhayla	11/108(Whole)	
		5.	Padech	63 (Partly) as already included in Shimla Planning Area	
		6.	Ichhaser	60(Whole)	
		7.	Bharoi	61 (Partly) as already included in Shimla Planning Area	
		8.	Jablog	62 (Whole)	
	(96)	9.	Fataichi	4/63(Whole)	
		10.	Neri	64(Whole)	
		11.	Rihai	67(Whole)	
		12.	Girb Khurd	65(Whole)	
		13.	Girb Kalan	66(Whole)	
		14.	Dhainda	80 (Partly) as already bifurcated in M.C.Shimla	d
		15.	Kyar	79(Whole)	
		16	Chandi	77(Whole)	
1		17.	Gdawag	78(Whole)	TENER!
		18.	. Chayali Kalan	76(Whole)	

	1	-111
19	Chayali Khurd	75(Whole)
20	. Sangti	3/13(Whole)
21	. Sanog Uprala	3/14(Whole)
22	. Kyar Giri	5/71(Whole)
23.	Bhoong	3/30(Whole)
24.	Manla	3/29(Whole)
25	Neri	3/35(Whole)
26.	Krand	28(Whole)
27.	Hiun	5/72(Whole)
28.	Chamu	3/17(Whole)
29.	Karog	3/15(Whole)
30.	Kyalu	3/16(Whole)
31.	Nawag	18(Whole)
32.	Golchha	19(Whole)
13.	Kawai	20(Whole)
4.	Mathav	320(Whole) ,
5.	Jangle Pagog	322(Whole)
6.	Pagog	323 (Partly) as already bifurcated in M.C.Shimla

List of Revenue Villages included in the Shimla Planning Area vide Notification No. TCP-F(5)-1/2006, dated 12.01.2007. The Competent Authority is Town and Country Planner, Divisional Town Planning Office Shimla.

Sr. No i	Name of Revenue Village	Hadbast Number		Remarks
	Tehsil S	himla, District S	himla	
	Marhabag	76		
	Ghandal	85		
	Jhundia	82		William the state of the state
	Gharog	92		where we are the course of the de-

		7.5	
	Jhakdi Upperli	75	
	Sedan	177	* The state of the
	Bashaul	84	
73	Tool	83	
	Shakrah	79	
	Dhar	80	
0.	Jungal Kamala	81	
1.	Jungal Badua	67	
2	Jhakdi Nichali	74	
13.		78	
14.	Shahech	70	Tatin II
15.	Chauri	66	
16.	Maghech	63	Partly already included in Shimla
17.	Padech	(Whole)	Planning Area.
		65	A MARK THE CONTRACT DESCRIPTION
18.	Dafawag	67	
19.	Badua	68	
20.	Bhutuva	69	
21.	Chalohag	74	
22.	Up-Mohal Jhamrech (Mohal Jhakdi Nichali)		
23.	Jadhog	72	
24.	Kashad	71	
25.	Jungle Balau (Mohal Balau)	13/121	
26.	Balau	13/121	
	Chdah	13/119	· · · · · · · · · · · · · · · · · · ·
27.		11/109	Partly already included in Shiml
28.	Kanda	Whole)	Planning Area.
	51 #	73	
29.	Balogdi	134	
30.	Jungle Rapra (Mohal Rapra)		
31.	Jajed	133	
32.	Dhanedi	13/120	
33.	Kadech	13/123	
34.	Rapra	134	
35.	Gawahi Khurd	137	
36.	Patshal Kalan	131	
37.	Talayala	132	
38.	Charund	13/122	
	Bhaloh	13/126	
39.	Tikri Mashah	13/118	
40.	Khadol	13/110	n and the second value
41.	Roda	10/105	
42.		11/111	
43.	Ladvi	10/107	
44.	Kated	10/10/	

4. 5.	Fagera Kutasni	114	
<u> </u>	Panevla Galot	9/97	
1. 2.	Dhamun	9/160	
Ü.	Bhalavag	28/332	
y	Shilli	28/334	The state of the s
×	Phagic	8/94	
	Shalagda	10/106	
6	Jungle Khryad (Mohal Shildu)	112	
5.	Raudi	142	
54.	Chavag	104	
5.3	Deshdi	12/115	
52.	Shildu	112	
61.	Majhaila .	13/124	
60	Jungal Dalata (Mohal Panchauti and Mohal Majhaila)	13/124 and 13/125	
50.	Patta	140	
58.	Jabag	7/90	
57.	Ner	8/96	
56.	Shavla	12/116	and the second s
55.	Panesh	113	
54.	Panchauti	13/125	
53.	Seri :	13/127	
52.	Gawahi Kalan	141	
51.	Khadau	130	
50.	(Mohal Rehai Vayondi) Patshal Khurd	120	
49.	Hathni Ki Dhar	7/88	
48.	Jadenee	29/336	
47.	Gaag	7/93	
46.	Badhawnee	7/91	

Ladvi Kated

0.6	Tamlog	6/85	
86.	Jamlog	277	· - 101 101
87.	Rampuri	33/363	
88:	Hiun	33/364	V TV
89.	Shamleeg	33/365	
90.	Jadyal	33/366	
91.	Dhanool	33/300	
92.	Kharog	368	
93.	Bijli	369	
94.	Shageen		
95.	Baun	388	
96.	Kotla	387	
97.	Jadiyana	374	
98.	Dharighat	375	U I I I I I I I I I I I I I I I I I I I
99.	Shadiyana	380	
100.	Phayal	371	
101.	Kakret	360	
102.	Sandhut	359	
103.	Taradi	386	
104.	Laga	389	
105.	Nagadi	386	
106.	Dooh	33/361	
107.	Dhari Bageri	372	
108.	Dol	373	
109.	Lagdu	376	
110.	Sari	351	
111.	Nareval	358	
112.	Salana	357	
113.	Thadi	392	
114.	Nyaee	391	
115.	Shakoh	390	
116.	Javag	385	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
117.	Sehal	383	CAMBUAS A MURA
118.	Jamati	384	
119.	Badi	377	
120.	Jalel	379	
121.	Ganperi	378	The state of the s
122.	Keed	352	
123.	Lagdu	353	
124.	Thalakdhar	354	
125.	Thalaknal	355	
126.	Pawad	393	Partly already included in Shimia
	ale in alarent, shiftly, in his	(Whole)	Planning Area.
127.	Gawahi	397	Partly already included in Shimle
12011		(Whole)	Planning Area.
128.	Panog	396	Partly already included in Shimla
120.	1 miog	(Whole)	Planning Area.

-			
129.	Ganedi	382 (Whole)	Partly already included in Shimla Planning Area.
130.	Batlana	381	
130.	Dallana	(Whole)	Partly already included in Shimla Planning Area.
151.	Bhog	125	Partly already included in Shimla
		(Whole)	Planning Area.
7132.	Mahauri	96	Partly already included in Shimla
		(Whole)	Planning Area.
133.	Bathun	394	
.134.	Luharda	395	
135.	Bharov	124	
136.	Banadi	123	THE STATE OF THE S
137.	Bharoi	4/61	Partly already included in Shimla
		(Whole)	Planning Area.
138.	Jungal Ichaser-Pratham	4/60	
139.	Jungal Ichaser-Dwetiya	4/60	
140.	Shadog	5/68	A PROPERTY AND A PROPERTY OF A
141.	Nalayal	5/73	
142.	Dhanayal	5/69	
143.	Anji	5/74	
144.	Up Mohal Tal and Giri (Mohal Kyargiri)	5/71	
145.	Tood	21	
146.	Shaha!	25	
147.	Pavabo	24	
:4X.	Kamiyana	22	
(49.	Up-Mohal Dudhaii (Mohal Tood)	21	
150.	Barmu	333	
151.	Jungal Godi Ka Nal	332	
52.	Jungle Barmu	334	
53.	Banredu '	335	
54.	Up-Mohal Tilla	341	
	(Mohal Saruila Baruila)		
55.	Badfar	337	
56.	Jungle Badfar-Aa	336	
57.	Jungle Badfar-Ba	340	
58.	Lindi Dhar	339	Winds to the
59.	Masech	346	
-	Saruila Baruila 🤫	341	
	Ajdhar	347	
The same of the sa	Dhani	345	
63.	Dhanain	344	10 10 10 10 10 10 10 10 10 10 10 10 10 1
-	Shildu Sapoli	311	
	Patengali	310	
	Kolu Jubbar	309(Whole)	Partly already included in Shimla

7				Planning Area.
			308	Partly already included in Shimla
167.	Chanavat			
			(Whole)	Planning Area.
168.	Dhagog	1 1 1 W	305 .	Partly already included in Shimla
2		Part of the	(Whole)	Planning Area.
169.	Jotlu		303	Partly already included in Shimla
			(Whole)	Planning Area. Partly already included in Shimla
170.	Bhatla		302	Partly already included in Sindha
			(Whole)	Planning Area. Partly already included in Shimla
171.	Shaiser		291	Partly already included in cannot
			(Whole)	Planning Area. Partly already included in Shimla
172.	Shainal		291	Partly already included in Simulation
			(Whole)	Planning Area. Partly already included in Shimla
173.	Jungal Naldehra		278	Planning Area.
			(Whole)	Partly already included in Shimia
174.	Neri		281	Planning Area.
			(Whole)	Flaining Area.
175.	Seepur		245	
176.	Jungle Seepur		244	
177.	Dhojidhar		248	
178.	Jungle Mool Koti		238	The state of the s
179.	Purani Koti		234	
180.	Thathrog	Ne Ne	233	
181.	Kunee		232	
182.	Jalf		383	
183.	Gosan	e I I	117	Partly already included in Shim!
100.	Cosmi		(Whole)	Planning Area.
184.	Shakral		381	Partly already included in Shiml
104.	Onarda.		(Whole)	Planning Area.
185.	Chaili Chaula	# 8 - CV	382	Partly already included in Shiml
100.			(Whole)	Planning Area.
186.	Pujarli		116	Partly already included in Shiml
100.			(Whole)	Planning Area. Partly already included in Shiml
187.	Kawara	2	115	
			(Whole)	Planning Area.
188.	Kawalag Majhar		118	
	A STATE OF THE STA	Tehsi	Suni, District S.	Partly already included in Shiml
1.	Durgapur		134	
			(Whole)	Planning Area.
	国内共和国的	Tehsil	Theog, District S	Partly already included in Shimi
1.	Galu Kalan		320	
			(Whole)	Planning Area. Partly already included in Shimi
2.	Fagu		241	Partly already included in Sinni
			(Whole)	Planning Area. Partly already included in Shim
3.	Dehna		370	
			(Whole)	Planning Area.

1.	Kadarav	384 (Whole)	Partly already included in Sh
	-1 т	ehsil Kandaghat, Distric	Pla ming Area.
l .	Sharer	178	Ct Solaii
	Mundi Khurd	179	
	Mundi Kalan.	180	
	Kanair	185	
	Nagalthi	184	
	Rugda	183	
	Ser	181	
	Majhar	182	
	Shakret		
0.	Sunkhi	323	
1.	Ваді		
<u> </u>	Vataila	327 328	10 A
3.	Vadhawani	348	
1. 4.	Thaul Kolian	344	
5.	Kanoli		
j	Shadhlyana	306	
7.		317	
3.	Fagoli Shalog Kolian -:	314	A THE STREET STREET STREET
).	Shalog Kolian -	316	
	Shalog Jogiyan	315	
-	Kahla	94	The Residence of the Control of the
	Majhyari	346	A PA CONTRACTOR OF STREET
	Tikkar	310	
	Niuen B	313	
	Dhrone	349	
	Danwati.	350	
	Mashru	302	
	Dhango	312	
	Jhekhadi	311	SEE
	Sulani	88	A. Property and the
	Badiyavla	89	[編章][[2][[1][[1][[2][[2][[2][[2][[2][[2][[2
	Kandaur	90	
	Aanji Brahamnna	91	
	Rodhan	87	The American Allegaters 1
	Kot	86	
	Gartí	75	Annual Control
	Chund	76	原料 经经济股份
	Banota 9	85	The section of principal in the
	likkar	84	
	Rugta	77	
	Gandrodi	79	
	Makalyan	78	
	Kotla	83	30 an a 2 ma 23 m
-	THE RESIDENCE OF THE PARTY OF T		
	· Indulate where I may		The second secon

the same of the sa		The state of the s
Nal Ka Gaun	81	
Dhala	80	
Katoh	276	remark to the second
Dihari	424	
Lachog	82	
Kathli	425	
Shungal	398	
Shadyal	399 -	
	Dhala Katoh Dihari Lachog Kathli Shungal	Dhala 80 Katoh 276 Dihari 424 Lachog 82 Kathli 425 Shungal 398

By Order

Manisha Nanda

Addl. Chief Secretary (TCP) to the Govt. of Himachal Pradesh.

Endst. No. TCP-A(3)-2/2014 Dated, Shimla-2, \(\begin{align*} 3 - 0 \ 8 - \end{align*} \) Copy forwarded for information and necessary action to:
1. All the Heads of Department, Himachal Pradesh.

2. All Deputy Commissioners, Himachal Pradesh.

3. The Director, Town and Country Planning Department, Himachal Pradesh, Shimla

4. The Director, Urban Development Department, H.P. Shimla-2.

5. The Under Secretary (Law) to the Government of Himachal Pradesh, Shimla.

The Commissioner, Municipal Corporation, Shimla.

7. The Additional Secretary (GAD) to the Govt. of H.P. w.r.t. Cabinet item No.22 of the Cabinet meeting held on 5.8.2015.

8. The Town and Country Planner, Divisional Town Planning Office. Dharamshala, Nahan, Solan, Shimla, Hamirpur, Kullu and Mandi.

9. The Assistant Town Planner, Sub-Divisional Town Planning Office, Parwanoo, Rampur,

Una, Chamba and Bilaspur.

10. Guard file.

(Rikhi Ram) 12018/2015

Under Secretary (TCP) to the Govt. of Himachal Pradesh Phone No. 2880516

"Thakur"